

Date of issue: 01/24/2025

Reviewed on 01/24/2025





Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Acetoin Liquid Synthetic

(Continuation of page	1)
GHS label elements	-
Pictograms on label shall be in the shape of a square set at a point and shall include a black hazar symbol on a white background with a red frame sufficiently wide to be clearly visible.	ď
The substance is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms	
GHS02 GHS05 GHS08	
• Signal word Danger	
Hazard-determining components of labeling: Acetoin (Liquid)	
 Hazard statements H226 Flammable liquid and vapor. 	
H318 Causes serious eye damage.	
H373 May cause damage to the respiratory system through prolonged or repeated exposure. Route exposure: Inhalation.	ot
• Precautionary statements	-
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources No smoking.	S.
P260 Do not breathe dust/fume/gas/mist/vapors/spray. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin wit	łh
water [or shower].	
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, present and easy to do. Continue rinsing.	if
P310 Immediately call a poison center/doctor.	
P403+P235Store in a well-ventilated place. Keep cool.P501Dispose of contents/container in accordance with local/regional/national/internationalregulations.	al
Information pertaining to particular dangers for man and environment:	
 Classification system: NFPA ratings (scale 0 - 4) 	
Health = 3	
Fire = 2	
3 0 Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH *3 Health = *3	
FIRE 2 Fire = 2 REACTIVITY 0 Reactivity = 0	
· Other hazards	
 Results of PBT and vPvB assessment PBT: Not applicable. 	
vPvB: Not applicable.	
 Classification according to (d)(1)(ii) of § 1910.1200 The SDS issuer does not object to the classifications provided by importers or manufacturers of 	of
precursor products. (Continued on page	
	3) US



Date of issue: 01/24/2025

Trade name: Acetoin Liquid Synthetic

(Continuation of page 2)

· Hazards not otherwise classified

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- CAS: 513-86-0 Acetoin (Liquid)
- · Identification number(s)
- · EC number: 208-174-1

4 First-aid measures

- · Description of first aid measures
- · General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.
- Additional information
- Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- Wear protective equipment. Keep unprotected persons away.
- Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.

(Continued on page 4)

JS



Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Acetoin Liquid Synthetic

(Continuation of page 3)

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Protective Action Criteria for Chemicals

· PAC-1:

Substance is not listed.

· PAC-2:

Substance is not listed.

· PAC-3:

Substance is not listed.

· Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

 Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
 Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

Storage:

· Requirements to be met by storerooms and receptacles:

Please refer to the product specification and/or Certificate of Analysis for product storage requirements. Information about storage in one common storage facility: Not required.

- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as a basis.
- Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes.

(Continued on page 5)

[·] Us



Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Acetoin Liquid Synthetic

(Continuation of page 4) Avoid contact with the eyes and skin. · Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed. Eye protection: Tightly sealed goggles 9 Physical and chemical properties · Information on basic physical and chemical properties · General Information Molecular Weight: 88.11 g/mol · Physical state Liquid · Color: According to product specification · Odor: According to product specification Not determined. · Odor threshold: · Melting point/Melting range: Undetermined. · Boiling point/Boiling range: 148 °C (298.4 °F) · Flammability: Flammable.

• Explosion limits: · Lower: Not determined. · Upper: Not determined. 45 °C (113 °F) · Flash point: · Decomposition temperature: Not determined. · pH-value: Not determined. · Viscosity: · Kinematic: Not determined. · Dynamic: Not determined. Solubility in / Miscibility with · Water: Fully miscible. Not determined. · Partition coefficient (n-octanol/water):

(Continued on page 6)

US



Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Acetoin Liquid Synthetic

	(Continuation of page 5
Vapor pressure:	Not determined.
Vapor pressure:	
Density:	Not determined.
Relative density	Not determined.
Refractive Index	
Vapor density	Not determined.
Particle characteristics	Not applicable.
Other information	
Appearance:	
Form:	Liquid
Important information on protection of and environment, and on safety.	fhealth
Ignition temperature:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
VOC content:	0.00 % 0.0 g/l / 0.00 lb/gal
Change in condition	
Evaporation rate	Not determined.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

CAS: 513-86-0 Acetoin (Liquid)

Oral LD50 >50,000 mg/kg (rat)

Dermal LD50 >50,000 mg/kg (rabbit)

Primary irritant effect:

- · on the skin: No irritant effect.
- on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Interactive effects No interactive effects between components are known.

(Continued on page 7)

US -



Date of issue: 01/24/2025

Reviewed on 01/24/2025

(Continuation of page 6)

Trade name: Acetoin Liquid Synthetic

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

• NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
· DOT, IMDG, IATA	UN2621	
· UN proper shipping name		
DOT	Acetyl methyl carbinol	
· IMDG, IATA	ACETYL METHYL CARBINOL	



Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Acetoin Liquid Synthetic

	(Continuation of page
Fransport hazard class(es)	
DOT	
Class	3 Flammable liquids
Label	3
MDG, IATA	
Class	3 Flammable liquids
_abel	3
Packing group	
DOT, IMDG, IATA	ш
Environmental hazards:	Not applicable.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Fransport/Additional information:	
рот 🦳	
Quantity limitations	On passenger aircraft/rail: 60 L
	On cargo aircraft only: 220 L
MDG	
Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1
LACEPIEN quantities (EW)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code)	
EMS Number:	F-E,S-D
Stowage Category	A
UN "Model Regulation":	UN 2621 ACETYL METHYL CARBINOL, 3, III

15 Regulatory information

 $^{\cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\cdot}$ Sara

Section 355 (extremely hazardous substances):

Substance is not listed.

(Continued on page 9)

US —



Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Acetoin Liquid Synthetic		
(Continuation of page 8)		
Section 313 (Specific toxic chemical listings):		
Substance is not listed.		
TSCA (Toxic Substances Control Act):		
ACTIVE		
· Hazardous Air Pollutants		
Substance is not listed.		
· Proposition 65		
· Chemicals known to cause cancer:		
Substance is not listed.		
Chemicals known to cause reproductive toxicity for females:		
Substance is not listed.		
· Chemicals known to cause reproductive toxicity for males:		
Substance is not listed.		
· Chemicals known to cause developmental toxicity:		
Substance is not listed.		
· Carcinogenic categories		
· EPA (Environmental Protection Agency)		
Substance is not listed.		
• TLV (Threshold Limit Value)		
Substance is not listed.		
• NIOSH-Ca (National Institute for Occupational Safety and Health)		
Substance is not listed.		
 GHS label elements Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible. The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GHS02 GHS05 GHS08 		
· Signal word Danger		

· Hazard-determining components of labeling: Acetoin (Liquid) Hazard statements H226 Flammable liquid and vapor. H318 Causes serious eye damage. H373 May cause damage to the respiratory system through prolonged or repeated exposure. Route of exposure: Inhalation. · Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P260 Do not breathe dust/fume/gas/mist/vapors/spray.

(Continued on page 10)



Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Acetoin Liquid Synthetic

(Continuation of page 9) P303+P361+P353 If on skin (or bair): Take off immediately all contaminated clothing. Pinse skin with

P303+P301+P353	in on skin (or hair). Take on immediately all contaminated clothing. Rinse skin with
	water [or shower].
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Department issuing SDS: Product Safety Department · Contact: **Product Safety Department** productsafety@adv-bio.com · Date of previous version 11/08/2023 Date of preparation 01/24/2025 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Flammable liquids 3: Flammable liquids - Category 3 Eye damage 1: Serious eye damage/eye irritation - Category 1 Specific target organ toxicity (repeated exposure) 2: Specific target organ toxicity (repeated exposure) - Category 2