US



Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Printing date 01/16/2024

Reviewed on 01/16/2024





Printing date 01/16/2024

Reviewed on 01/16/2024



- · Chemical characterization: Substances
- · CAS No. Description
- CAS: 4437-51-8 3,4-Hexanedione
- Identification number(s)
- · EC number: 224-651-7

(Continued on page 3)



Printing date 01/16/2024

Trade name: 3,4 Hexanedione synthetic

(Continuation of page 2)

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.
- · Additional information
- Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals
- · PAC-1:

Substance is not listed.

PAC-2:

Substance is not listed.

(Continued on page 4)

US



Printing date 01/16/2024

Reviewed on 01/16/2024

(Continuation of page 3)

Trade name: 3,4 Hexanedione synthetic

PAC-3:

Substance is not listed.

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.

Please refer to the product specification and/or Certificate of Analysis for product storage requirements.

· Information about storage in one common storage facility: Not required.

- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

- Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as a basis.
- Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. • Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Continued on page 5)

US



Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: 3,4 Hexanedione synthetic

(Continuation of page 4) Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

General Information Appearance:	Molecular Weight: 114.14 g/mol
Form:	Liquid
Color:	According to product specification
Odor:	According to product specification
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-10 °C (14 °F)
Boiling point/Boiling range:	129 °C (264.2 °F)
Flash point:	27 °C (80.6 °F)
Flammability (solid, gaseous):	Flammable.
Decomposition temperature:	Not determined.
Ignition temperature:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not determined.
Density at 20 °C (68 °F):	0.945-0.975 g/cm³ (7.88603-8.13638 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.

US



Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: 3,4 Hexanedione synthetic

		(Continuation of page 5
Partition coefficient (n-octar	ol/water): Not determined.	/
[·] Viscosity: Dynamic: Kinematic: VOC content:	Not determined. Not determined. 0.00 %	
Solids content:	0.0 g/l / 0.00 lb/gal	
Other information	No further relevant information avai	lable.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4 h 6 mg/l (ATE)

CAS: 4437-51-8 3,4-Hexanedione

Inhalative LC50/4 h 6 mg/l (ATE)

Primary irritant effect:

- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

NTP (National Toxicology Program)

Substance is not listed.

• OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

(Continued on page 7)

US



Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: 3,4 Hexanedione synthetic

(Continuation of page 6)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · **Bioaccumulative potential** No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

· UN-Number	
· DOT, IMDG, IATA	UN1992
· UN proper shipping name	
DOT	Flammable liquids, toxic, n.o.s. (3,4-Hexanedione)
· IMDG, IATA	FLAMMABLE LIQUID, TOXIC, N.O.S. (3,4-Hexanedior
· Transport hazard class(es)	
ООТ	
· Class	3 Flammable liquids



Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: 3,4 Hexanedione synthetic

	(Continuation of page 7
IMDG	
Class	3 Flammable liquids
Label	3/6.1
ΙΑΤΑ	
	. 0
Class	3 Flammable liquids
Label	3 (6.1)
Packing group DOT, IMDG, IATA	
Environmental hazards:	Not applicable.
Special precautions for user Stowage Category	Warning: Flammable liquids A
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	x II of Not applicable.
Transport/Additional information:	$\overline{\alpha}$,
DOT	
Quantity limitations	On passenger aircraft/rail: 60 L
	On cargo aircraft only: 220 L
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S. (3,4- HEXANEDIONE), 3 (6.1), III

15 Regulatory information

 $^{\cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\cdot}$ Sara

· Section 355 (extremely hazardous substances):	
Substance is not listed.	
· Section 313 (Specific toxic chemical listings):	
Substance is not listed.	
· TSCA (Toxic Substances Control Act):	
ACTIVE	
	(Continued on page



Printing date 01/16/2024

Reviewed on 01/16/2024

(Continuation of page 8)

Trade name: 3,4 Hexanedione synthetic

|--|

Substance is not listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is not listed.

• Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

• TLV (Threshold Limit Value)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed. • GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.

- The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labeling:
- 3,4-Hexanedione
- · Hazard statements

H226 Flammable liquid and vapor.

H331 Toxic if inhaled.

- Precautionary statements P210 Keep aw
 - 2 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P241 Use explosion-proof electrical/ventilating/lighting/equipment.
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Continued on page 10)

JS -



Printing date 01/16/2024

Reviewed on 01/16/2024

Trade name: 3,4 Hexanedione synthetic

(Continuation of page 9)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Department issuing SDS: Product Safety Department · Contact: Product Safety Department productsafety@adv-bio.com Date of preparation / last revision 01/16/2024 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 3: Flammable liquids – Category 3 Acute Toxicity - Inhalation 3: Acute toxicity - Category 3