





Date of issue: 01/25/2025

Reviewed on 01/25/2025

### Trade name: 2-Methyl Pyrazine synthetic (Continuation of page 1) · Hazard pictograms GHS02 GHS07 Signal word Warning · Hazard-determining components of labeling: 2-Methylpyrazine Hazard statements H226 Flammable liquid and vapor. H302 Harmful if swallowed. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smokina. P241 Use explosion-proof [electrical/ventilating/lighting] equipment. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P403+P235 Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international P501 regulations. · Information pertaining to particular dangers for man and environment: · Classification system: · NFPA ratings (scale 0 - 4) Health = 1 Fire = 2Reactivity = 0 · HMIS-ratings (scale 0 - 4) HEALTH Health = 1 FIRE Fire = 22 Reactivity = 0 REACTIVITY 0 Other hazards Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. · Classification according to (d)(1)(ii) of § 1910.1200 The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products. · Hazards not otherwise classified There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

(Continued on page 3)



Date of issue: 01/25/2025

### Reviewed on 01/25/2025

### Trade name: 2-Methyl Pyrazine synthetic

(Continuation of page 2)

### 3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

CAS: 109-08-0 2-Methylpyrazine

- Identification number(s)
- EC number: 203-645-8

## 4 First-aid measures

### Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Immediately call a doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

# 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. · For safety reasons unsuitable extinguishing agents: Water with full jet

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

# 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation. Protective Action Criteria for Chemicals
- · PAC-1:

Substance is not listed.

(Continued on page 4)



Date of issue: 01/25/2025

(Continuation of page 3)

### Trade name: 2-Methyl Pyrazine synthetic

### · PAC-2:

Substance is not listed.

· PAC-3:

# Substance is not listed.

**Reference to other sections** 

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and storage

· Precautions for safe handling No special precautions are necessary if used correctly.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Please refer to the product specification and/or Certificate of Analysis for product storage requirements. Information about storage in one common storage facility: Not required.

- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

- Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as a basis.
- Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

(Continued on page 5)

US ·



Date of issue: 01/25/2025

# Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Reviewed on 01/25/2025

### Trade name: 2-Methyl Pyrazine synthetic

(Continuation of page 4)

• Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

# • Penetration time of glove material The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

# • Eye protection:



Tightly sealed goggles

# 9 Physical and chemical properties

| Information on basic physical and chemic<br>General Information | Molecular Weight: 94.12 g/mol              |
|---|--|
| Physical state  | Liquid                                     |
| Color:  | According to product specification         |
| Odor:   | According to product specification         |
| Odor threshold:   | Not determined.                            |
| Melting point/Melting range:                                    | -29 °C (-20.2 °F)                          |
| Boiling point/Boiling range:                                    | 134-136 °C (273.2-276.8 °F) (@ 1.01 hPa)   |
| Flammability:   | Flammable.                                 |
| Explosion limits:   |  |
| Lower:  | Not determined.                            |
| Upper:  | Not determined.                            |
| Flash point:  | 37 °C (98.6 °F)                            |
| Decomposition temperature:                                      | Not determined.                            |
| pH-value:   | Not determined.                            |
| Viscosity:  |  |
| Kinematic:  | Not determined.                            |
| Dynamic:  | Not determined.                            |
| Solubility in / Miscibility with                                |  |
| Water:  | Not miscible or difficult to mix.          |
| Partition coefficient (n-octanol/water):                        | Not determined.                            |
| Vapor pressure:   | Not determined.                            |
| Vapor pressure:   |  |
| Density at 20 °C (68 °F):                                       | 1.015-1.03 g/cm³ (8.47017-8.59535 lbs/gal) |
| Relative density  | Not determined.                            |
| Specific Gravity  | 1.015-1.03 @ 20 °C (33.8-33.9 @ 68 °F)     |
| Refractive Index  |  |
| Vapor density   | Not determined.                            |
| Particle characteristics  | Not applicable.                            |
| Other information   |  |
| Appearance:   |  |
| Form:   | Liquid                                     |
|   | (Continued on page                         |



Date of issue: 01/25/2025

Reviewed on 01/25/2025

### Trade name: 2-Methyl Pyrazine synthetic

(Continuation of page 5)

| <ul> <li>Important information on protection of<br/>and environment, and on safety.</li> </ul> | of health                       |
|--|---------------------------------|
| Ignition temperature:  | Not determine                   |
| Danger of explosion:   | Product is n<br>explosive air/\ |
| · VOC content:   | 0.00 %<br>0.0 g/l / 0.00 ll     |
| Change in condition  | -                               |

· Evaporation rate

Not determined. Product is not explosive. However, formation of explosive air/vapor mixtures are possible. 0.00 % 0.0 g/l / 0.00 lb/gal

Not determined.

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 1,800 mg/kg (ATE)

### CAS: 109-08-0 2-Methylpyrazine

Oral LD50 1,800 mg/kg (ATE)

- Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Interactive effects No interactive effects between components are known.

### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

### • NTP (National Toxicology Program)

Substance is not listed.

### **OSHA-Ca** (Occupational Safety & Health Administration)

Substance is not listed.

(Continued on page 7)

US



Date of issue: 01/25/2025

### Reviewed on 01/25/2025

(Continuation of page 6)

### Trade name: 2-Methyl Pyrazine synthetic

### · Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

# 12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

- Do not allow product to reach ground water, water course or sewage system.
- Danger to drinking water if even small quantities leak into the ground.

### 13 Disposal considerations

### · Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• **Recommendation:** Disposal must be made according to official regulations.

# 14 Transport information • UN-Number UN1993 • DOT, IMDG, IATA UN1993 • UN proper shipping name Flammable liquids, n.o.s. (2-Methylpyrazine) • IMDG, IATA FlamMABLE LIQUID, N.O.S. (2-Methylpyrazine) • Transport hazard class(es) DOT • DOT OT • Class 3 Flammable liquids



Date of issue: 01/25/2025

Reviewed on 01/25/2025

# Trade name: 2-Methyl Pyrazine synthetic

|  | (Continuation of page 7  |
|--|--|
| Label  | 3  |
| IMDG, IATA   |  |
|  | <i>O</i>   |
| Class  | 3 Flammable liquids  |
| Label  | 3  |
| Packing group<br>DOT, IMDG, IATA   |  |
| Environmental hazards:<br>Marine pollutant:                                | No   |
| Transport in bulk according to Annex II of<br>MARPOL73/78 and the IBC Code | Not applicable.  |
| Transport/Additional information:  |  |
| DOT  |  |
| Quantity limitations   | On passenger aircraft/rail: 60 L<br>On cargo aircraft only: 220 L  |
| IMDG   | $\cap$   |
| Limited quantities (LQ)  | 5L   |
| Excepted quantities (EQ)   | Code: E1<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 1000 ml |
| Special precautions for user   | Warning: Flammable liquids   |
| Hazard identification number (Kemler code):                                |  |
| EMS Number:<br>Stowage Category  | F-E, <u>S-E</u><br>A   |
| UN "Model Regulation":   | UN 1993 FLAMMABLE LIQUID, N.O.S. (2-   |
|  | METHYLPYRAZINE), 3, III  |

# 15 Regulatory information

 $^{\rm \cdot}$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $^{\rm \cdot}$  Sara

· Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

• TSCA (Toxic Substances Control Act):

ACTIVE

## · Hazardous Air Pollutants

Substance is not listed.

(Continued on page 9)

US ·



Date of issue: 01/25/2025

### Reviewed on 01/25/2025

### Trade name: 2-Methyl Pyrazine synthetic

| · Proposition 65   | (Continuation of page 8)  |
|--|---|
| •  | n to cause cancer:  |
| Substance is not l   |   |
| · Chemicals know   | n to cause reproductive toxicity for females:   |
| Substance is not I   | isted.  |
| · Chemicals know   | n to cause reproductive toxicity for males:   |
| Substance is not l   | isted.  |
| · Chemicals know   | n to cause developmental toxicity:  |
| Substance is not I   | isted.  |
| · Carcinogenic ca  | tegories  |
| •  | ntal Protection Agency)   |
| Substance is not l   | isted.  |
| · TLV (Threshold   | Limit Value)  |
| Substance is not l   | isted.  |
| · NIOSH-Ca (Natio  | nal Institute for Occupational Safety and Health)   |
| Substance is not l   | isted.  |
| symbol on a white<br>The substance is  | bel shall be in the shape of a square set at a point and shall include a black hazard<br>background with a red frame sufficiently wide to be clearly visible.<br>classified and labeled according to the Globally Harmonized System (GHS).  |
| Pictograms on la<br>symbol on a white  | bel shall be in the shape of a square set at a point and shall include a black hazard<br>background with a red frame sufficiently wide to be clearly visible.<br>classified and labeled according to the Globally Harmonized System (GHS).<br>ms  |
| Pictograms on la<br>symbol on a white<br>The substance is<br>• Hazard pictogram  | bel shall be in the shape of a square set at a point and shall include a black hazard<br>background with a red frame sufficiently wide to be clearly visible.<br>classified and labeled according to the Globally Harmonized System (GHS).<br><b>ns</b>   |
| Pictograms on la<br>symbol on a white<br>The substance is<br>• Hazard pictogram<br>• GHS02 GHS07<br>• Signal word War<br>• Hazard-determin<br>2-Methylpyrazine<br>• Hazard statemen<br>H226 Flammable<br>H302 Harmful if s   | bel shall be in the shape of a square set at a point and shall include a black hazard<br>background with a red frame sufficiently wide to be clearly visible.<br>classified and labeled according to the Globally Harmonized System (GHS).<br>ms<br>ning<br>ing components of labeling:<br>hts<br>liquid and vapor.<br>wallowed.  |
| Pictograms on la<br>symbol on a white<br>The substance is<br>• Hazard pictogram<br>• GHS02 GHS07<br>• Signal word War<br>• Hazard-determin<br>2-Methylpyrazine<br>• Hazard statemen<br>H226 Flammable  | bel shall be in the shape of a square set at a point and shall include a black hazard<br>background with a red frame sufficiently wide to be clearly visible.<br>classified and labeled according to the Globally Harmonized System (GHS).<br>ms<br>ning<br>ing components of labeling:<br>hts<br>liquid and vapor.<br>wallowed.  |
| Pictograms on la<br>symbol on a white<br>The substance is<br>• Hazard pictogram<br>• GHS02 GHS07<br>• Signal word War<br>• Hazard-determin<br>2-Methylpyrazine<br>• Hazard statemen<br>H226 Flammable<br>H302 Harmful if s   | bel shall be in the shape of a square set at a point and shall include a black hazard<br>background with a red frame sufficiently wide to be clearly visible.<br>classified and labeled according to the Globally Harmonized System (GHS).<br>ms<br>ning<br>ing components of labeling:<br>its<br>liquid and vapor.<br>wallowed.<br>atements<br>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.  |
| Pictograms on la<br>symbol on a white<br>The substance is<br><b>Hazard pictogram</b><br><b>GHS02 GHS07</b><br><b>Signal word War</b><br><b>Hazard-determin</b><br>2-Methylpyrazine<br><b>Hazard statemen</b><br>H226 Flammable<br>H302 Harmful if s<br><b>Precautionary st</b><br>P210<br>P241<br>P280<br>P303+P361+P353 | <ul> <li>bel shall be in the shape of a square set at a point and shall include a black hazard a background with a red frame sufficiently wide to be clearly visible.</li> <li>classified and labeled according to the Globally Harmonized System (GHS).</li> <li>ns</li> <li>ning</li> <li>ing components of labeling:</li> <li>hts</li> <li>liquid and vapor.</li> <li>wallowed.</li> <li>atements</li> <li>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.</li> <li>No smoking.</li> <li>Use explosion-proof [electrical/ventilating/lighting] equipment.</li> <li>Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.</li> <li>If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].</li> </ul> |
| Pictograms on la<br>symbol on a white<br>The substance is<br>• Hazard pictogram<br>• GHS02<br>• Signal word War<br>• Hazard-determin<br>2-Methylpyrazine<br>• Hazard statemen<br>H226 Flammable<br>H302 Harmful if s<br>• Precautionary st<br>P210<br>P241<br>P280   | bel shall be in the shape of a square set at a point and shall include a black hazard<br>background with a red frame sufficiently wide to be clearly visible.<br>classified and labeled according to the Globally Harmonized System (GHS).<br><b>ns</b><br>ning<br><b>ing components of labeling:</b><br><b>its</b><br>liquid and vapor.<br>wallowed.<br><b>atements</b><br>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.<br>No smoking.<br>Use explosion-proof [electrical/ventilating/lighting] equipment.<br>Wear protective gloves/protective clothing/eye protection/face protection/hearing<br>protection.<br>B If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with  |



Date of issue: 01/25/2025

### Reviewed on 01/25/2025

### Trade name: 2-Methyl Pyrazine synthetic

(Continuation of page 9)

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product Safety Department

### Contact: Product Safety Department productsafety@adv-bio.com

- Date of previous version 01/10/2023
- Date of preparation 01/25/2025
- Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable liquids 3: Flammable liquids – Category 3 Acute toxicity - oral 4: Acute toxicity - Category 4