

Reviewed on 01/25/2025

Date of issue: 01/25/2025 1 Identification · Product identifier • Trade name: 2-Furfurylthio-3(5/6)-methyl pyrazine synthetic · CAS Number: 65530-53-2 Other means of identification Product number: 4021 · Application of the substance / the mixture Flavoring Ingredients · Details of the supplier of the safety data sheet DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Advanced Biotech makes NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Advanced Biotech product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Advanced Biotech product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Advanced Biotech product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. Manufacturer/Supplier: Advanced Biotech 10 Taft Road Totowa, NJ 07512 USA · Information department: Product Safety Department productsafety@adv-bio.com • Emergency telephone number: Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International) Email: responders@infotrac.net & During normal business hours: 1-973-339-6242 2 Hazard(s) identification

 Classification of the substance or mixture GHS02 Flame Flammable liquids 3 H226 Flammable liquid and vapor. GHS07 Acute toxicity - oral 4 H302 Harmful if swallowed. Skin irritation 2 H315 Causes skin irritation. Eye irritation 2A H319 Causes serious eye irritation. **GHS** label elements Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible. The substance is classified and labeled according to the Globally Harmonized System (GHS). (Continued on page 2) us



Date of issue: 01/25/2025

Reviewed on 01/25/2025





Date of issue: 01/25/2025

Reviewed on 01/25/2025

Trade name: 2-Furfurylthio-3(5/6)-methyl pyrazine synthetic

(Continuation of page 2)

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- CAS: 65530-53-2 2-Furfurylthio-3(5/6)-methyl pyrazine
- · Identification number(s) Not Applicable

4 First-aid measures

· Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Immediately call a doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or alcoholresistant foam.
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information
- Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Prevent seepage into sewage system, workpits and cellars.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation.
- Protective Action Criteria for Chemicals
- · PAC-1:

Substance is not listed.

(Continued on page 4)

US



Date of issue: 01/25/2025

(Continuation of page 3)

Trade name: 2-Furfurylthio-3(5/6)-methyl pyrazine synthetic

· PAC-2:

Substance is not listed.

· PAC-3:

Substance is not listed.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling No special precautions are necessary if used correctly.

- Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Please refer to the product specification and/or Certificate of Analysis for product storage requirements. Information about storage in one common storage facility: Not required.

- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as a basis.
- Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

(Continued on page 5)

ús



Date of issue: 01/25/2025

Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Reviewed on 01/25/2025

Trade name: 2-Furfurylthio-3(5/6)-methyl pyrazine synthetic

(Continuation of page 4)

• Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

• Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

 General Information Physical state Color: Odor: Odor: Odor threshold: Melting point/Melting range: Boiling point/Boiling range: Flammability: Liquid According to product specification According to product specification Metermined. 294-298 °C (561.2-568.4 °F) Flammable. 	
· Color: According to product specification · Odor: According to product specification · Odor threshold: Not determined. · Melting point/Melting range: Undetermined. · Boiling point/Boiling range: 294-298 °C (561.2-568.4 °F)	
· Odor: According to product specification · Odor threshold: Not determined. · Melting point/Melting range: Undetermined. · Boiling point/Boiling range: 294-298 °C (561.2-568.4 °F)	
Odor threshold:Not determined.Melting point/Melting range:Undetermined.Boiling point/Boiling range:294-298 °C (561.2-568.4 °F)	
 Melting point/Melting range: Boiling point/Boiling range: 294-298 °C (561.2-568.4 °F) 	
Boiling point/Boiling range: 294-298 °C (561.2-568.4 °F)	
• Flammability: Flammable.	
Explosion limits:	
· Lower: Not determined.	
· Upper: Not determined.	
• Flash point: 56.7 °C (134.1 °F)	
Decomposition temperature: Not determined.	
• pH-value: Not determined.	
· Viscosity:	
Kinematic: Not determined.	
· Dynamic: Not determined.	
· Solubility in / Miscibility with	
· Water: Not miscible or difficult to mix.	
• Partition coefficient (n-octanol/water): Not determined.	
Vapor pressure: Not determined.	
· Vapor pressure:	
• Density at 20 °C (68 °F): 1.21-1.225 g/cm ³ (10.09745-10.22263 lbs/gal)	
• Relative density Not determined.	
• Specific Gravity 1.210 – 1.225 @ 20 °C (34.2 – 34.2 @ 68 °F)	
· Refractive Index	
· Vapor density Not determined.	
· Particle characteristics Not applicable.	
· Other information	
· Appearance:	
• Form: Liquid	
 Important information on protection of health 	
and environment, and on safety.	
Ignition temperature: Not determined.	
(Continued o	page 6)



Date of issue: 01/25/2025

Reviewed on 01/25/2025

(Continuation of page 5)

Trade name: 2-Furfurylthio-3(5/6)-methyl pyrazine synthetic

[.] Danger of explosion:

VOC content:

Not determined. 0.00 % 0.0 g/l / 0.00 lb/gal

Not determined.

- · Change in condition
- · Evaporation rate

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 1,000 mg/kg (rat)

CAS: 65530-53-2 2-Furfurylthio-3(5/6)-methyl pyrazine

Oral LD50 1,000 mg/kg (rat)

Primary irritant effect:

- · on the skin: No irritant effect.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Interactive effects No interactive effects between components are known.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

· Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

12 Ecological information

· Toxicity

• Aquatic toxicity: No further relevant information available.

(Continued on page 7)

US



Reviewed on 01/25/2025

Trade name: 2-Furfurylthio-3(5/6)-methyl pyrazine synthetic

(Continuation of page 6)

- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available. • **Mobility in soil** No further relevant information available.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.

Date of issue: 01/25/2025

- Other adverse effects
- Additional ecological information:
- · General notes: Not hazardous for water.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

· UN-Number · DOT, IMDG, IATA	UN1993
 UN proper shipping name DOT 	Flammable liquids, n.o.s. (2-Furfurylthio-3(5/6)-met pyrazine)
· IMDG, IATA	FLAMMÁBLE LIQUID, N.O.S. (2-Furfurylthio-3(5/ methyl pyrazine)
· Transport hazard class(es)	
· DOT	
· Class · Label	3 Flammable liquids 3
· IMDG, IATA	
· Class	3 Flammable liquids
·Label	3
Packing group	
· DOT, IMDG, IATA	



Date of issue: 01/25/2025

Reviewed on 01/25/2025

Trade name: 2-Furfurylthio-3(5/6)-methyl pyrazine synthetic

	(Continuation of page 7)
 Environmental hazards: Marine pollutant: 	No
 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category 	Warning: Flammable liquids 30 F-E, <u>S-E</u> A
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (2- FURFURYLTHIO-3(5/6)-METHYL PYRAZINE), 3, III

15 Regulatory information

 $^{\rm \cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\rm \cdot}$ Sara

- Section 355 (extremely hazardous substances):
- Substance is not listed.
- · Section 313 (Specific toxic chemical listings):
- Substance is not listed.
- TSCA (Toxic Substances Control Act):
- Substance is not listed.
- · Hazardous Air Pollutants
- Substance is not listed.
- · Proposition 65
- Chemicals known to cause cancer:
- Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females:
- Substance is not listed.
- Chemicals known to cause reproductive toxicity for males:
- Substance is not listed.
- Chemicals known to cause developmental toxicity:
- Substance is not listed.

(Continued on page 9)

⁻US



Date of issue: 01/25/2025

Trade name: 2-Furfurylthio-3(5/6)-methyl pyrazine synthetic

(Continuation of page 8)
· Carcinogenic categories
· EPA (Environmental Protection Agency)
Substance is not listed.
• TLV (Threshold Limit Value)
Substance is not listed.
· NIOSH-Ca (National Institute for Occupational Safety and Health)
Substance is not listed.
 GHS label elements Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible. The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms
GHS02 GHS07
· Signal word Warning
 Hazard-determining components of labeling: 2-Furfurylthio-3(5/6)-methyl pyrazine Hazard statements H226 Flammable liquid and vapor. H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. Precautionary statements
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
No smoking. P241 Use explosion-proof [electrical/ventilating/lighting] equipment. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403+P235 Store in a well-ventilated place. Keep cool.
P501 Dispose of contents/container in accordance with local/regional/national/international
regulations. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Department issuing SDS: Product Safety Department

· Contact:

Product Safety Department

productsafety@adv-bio.com

- Date of previous version 12/05/2023
- Date of preparation 01/25/2025

(Continued on page 10)

US



Date of issue: 01/25/2025

Reviewed on 01/25/2025

Trade name: 2-Furfurylthio-3(5/6)-methyl pyrazine synthetic

	(Continuation of page 9)
Abbreviations and acronyms:	
ADR: Accord relatif au transport international des marchandises	dangereuses par route (European Agreement Concerning the
International Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
CAS: Chemical Abstracts Service (division of the American Chemi	ical Society)
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Flammable liquids 3: Flammable liquids – Category 3	
Acute toxicity - oral 4: Acute toxicity – Category 4	
Skin irritation 2: Skin corrosion/irritation – Category 2	
Eye irritation 2A: Serious eye damage/eye irritation - Category 2A	