

Printing date 01/19/2024

Reviewed on 01/19/2024





Printing date 01/19/2024

Reviewed on 01/19/2024

Trade name: 2-Methyl-3-Furanthiol synthetic



- Chemical characterization: Substances • CAS No. Description
- CAS: 28588-74-1 2-Methyl-3-furanthiol

(Continued on page 3)



Printing date 01/19/2024

Trade name: 2-Methyl-3-Furanthiol synthetic

(Continuation of page 2)

- · Identification number(s)
- · EC number: 249-094-7

4 First-aid measures

- Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation: Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eve contact: Rinse opened eve for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.
- · Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.
- Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation.
- Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

(Continued on page 4)



Printing date 01/19/2024

Reviewed on 01/19/2024

(Continuation of page 3)

Trade name: 2-Methyl-3-Furanthiol synthetic

Protective Action Criteria for Chemicals

· PAC-1:

Substance is not listed.

· PAC-2:

Substance is not listed.

· PAC-3:

Substance is not listed.

7 Handling and storage

· Handling:

- Precautions for safe handling
 Ensure good ventilation/exhaustion at the workplace.
 Open and handle receptacle with care.
 Only handle and refill product in closed systems.
 Prevent formation of aerosols.
 Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke. Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.

Please refer to the product specification and/or Certificate of Analysis for product storage requirements. Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep receptacle tightly sealed.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as a basis.
- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Continued on page 5)

US



Printing date 01/19/2024

Trade name: 2-Methyl-3-Furanthiol synthetic

(Continuation of page 4)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

Information on basic physical and o	chemical properties
General Information	Molecular Weight: 114.17 g/mol
Appearance:	
Form:	Liquid
Color:	According to product specification
Odor:	According to product specification
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	142-146 °C (287.6-294.8 °F)
Flash point:	37 °C (98.6 °F)
Flammability (solid, gaseous):	Flammable.
Decomposition temperature:	Not determined.
Ignition temperature:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of explosive air
	vapor mixtures are possible.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 25 °C (77 °F):	7.7087 hPa (5.8 mm Hg)



Printing date 01/19/2024

Reviewed on 01/19/2024

Trade name: 2-Methyl-3-Furanthiol synthetic

		(Continuation of page 5
Density at 20 °C (68 °F):	1.12 g/cm³ (9.3464 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/w	ater): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
		ıble.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral	LD50	100 mg/kg (ATE)
Inhalative	LC50/4 h	0.21 mg/l (ATE)

CAS: 28588-74-1 2-Methyl-3-furanthiol

		-
Oral	LD50	100 mg/kg (ATE)
		100 mg/kg (mouse)

Inhalative LC50/4 h 0.21 mg/l (ATE)

0.21 mg/l (rat)

• Primary irritant effect:

- on the skin: No irritant effect.
- on the eye: Strong irritant with the danger of severe eye injury.

• Sensitization: No sensitizing effects known.

(Continued on page 7)



Printing date 01/19/2024

Reviewed on 01/19/2024

(Continuation of page 6)

Trade name: 2-Methyl-3-Furanthiol synthetic

- Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- Substance is not listed.

NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- **Mobility in soil** No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.


- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

14 Transport information	
· UN-Number · DOT, IMDG, IATA	UN3071
 · UN proper shipping name · DOT · IMDG, IATA 	Mercaptans, liquid, toxic, flammable, n.o.s. MERCAPTANS, LIQUID, TOXIC, FLAMMABLE, N.O.S. (2-Methyl-3-furanthiol)
	(Continued on page 8



Printing date 01/19/2024

Reviewed on 01/19/2024





Printing date 01/19/2024

Reviewed on 01/19/2024

Trade name: 2-Methyl-3-Furanthiol synthetic

	(Continuation of page 8)
 Excepted quantities (EQ) 	Code: E4 Maximum net quantity per inner packaging: 1 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 3071 MERCAPTANS, LIQUID, TOXIC, FLAMMABLE, N.O.S. (2-METHYL-3-FURANTHIOL), 6.1 (3), II

15 Regulatory information

 $^{\cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\cdot}$ Sara

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

• TSCA (Toxic Substances Control Act):

ACTIVE

· Hazardous Air Pollutants

Substance is not listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

• TLV (Threshold Limit Value)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.

The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Continued on page 10)

US -



Printing date 01/19/2024

Reviewed on 01/19/2024

Trade name: 2-Met	ade name: 2-Methyl-3-Furanthiol synthetic	
	(Continuation of page 9)	
 Hazard pictogi 	rams	
GHS02 GHS		
· Signal word Data	anger	
· Hazard-determ	nining components of labeling:	
2-Methyl-3-fura		
• Hazard statem		
	le liquid and vapor.	
H301 Toxic if s		
H330 Fatal if in		
	erious eye damage.	
· Precautionary		
P210 P260	Keep away from heat/sparks/open flames/hot surfaces No smoking.	
P301+P310	Do not breathe dust/fume/gas/mist/vapors/spray. If swallowed: Immediately call a poison center/doctor.	
P330	Rinse mouth.	
	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
P305+P351+P3	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P320	Specific treatment is urgent (see on this label).	
P405	Store locked up.	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.	
Chemical safe	ty assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product Safety Department

Contact:

Product Safety Department

productsafety@adv-bio.com

· Date of preparation / last revision 01/19/2024

- Abbreviations and acronyms:
- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Substances)

- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative

(Continued on page 11)

ús



Printing date 01/19/2024

Reviewed on 01/19/2024

(Continuation of page 10)

Trade name: 2-Methyl-3-Furanthiol synthetic

NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 3: Flammable liquids – Category 3 Acute Toxicity - Oral 3: Acute toxicity – Category 3 Acute Toxicity - Inhalation 1: Acute toxicity – Category 1 Eye Damage 1: Serious eye damage/eye irritation – Category 1