

Printing date 01/16/2024

Reviewed on 01/10/2023

1 Identification Product identifier

- Product identifier
- Trade name: 4-Ethyl Guaiacol synthetic
- · Product number: 4054
- · CAS Number:
- 2785-89-9
- · EC number:
- 220-500-4
- · Application of the substance / the mixture Flavoring Ingredients
- · Details of the supplier of the safety data sheet

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Advanced Biotech makes NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Advanced Biotech product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Advanced Biotech product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Advanced Biotech product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

- Manufacturer/Supplier: Advanced Biotech 10 Taft Road Totowa, NJ 07512 USA
- Information department: Product Safety Department productsafety@adv-bio.com
- Emergency telephone number: Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International) Email: responders@infotrac.net & During normal business hours: 1-973-339-6242

2 Hazard(s) identification · Classification of the substance or mixture GHS07 Skin Irritation 2 H315 Causes skin irritation. Eye Irritation 2A H319 Causes serious eye irritation. Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation. **GHS** label elements Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible. The substance is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS07 Signal word Warning (Continued on page 2)



Printing date 01/16/2024

Reviewed on 01/10/2023

 Wear eye protection / face protection. Wear eye protection / face protection. IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. Classification system: IFPA ratings (scale 0 - 4) Health = 2 Fire = 1 Reactivity = 0 Health = 2 Fire = 1 Reactivity = 0 		(Continuation of page 1)
-Ethyl Guaiacol lazard statements li315 Causes skin irritation. li315 Causes serious eye protection / face protection. li315 Causes serious eye irritation. li315 Causes serious eye irritation. listen eye irritation. listen eyes for the series is a cautower eye eye the series of the series of PBT and vPvB assessment. listen eyes eye for the series eye eyes eyes eyes eyes eyes eyes ey	Hazard-determ	ining components of labeling:
 1315 Causes skin irritation. 1319 Causes serious eye irritation. 1335 May cause respiratory irritation. 1335 May cause respiratory irritation. 1335 May cause respiratory irritation. 1345 May cause respiratory irritation. 1356 May cause respiratory irritation. 1366 May cause respiratory irritation. 1376 May cause respiratory irritation. 1386 May cause respiratory irritation. 1390 May cause respiratory irritation. 1304 P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. 1305 Store locked up. 1310 Dispose of contents/container in accordance with local/regional/national/international regulations. 1390 May cause (scale 0 - 4) 140 May cause (scale 0 - 4) 140		
 Ball Causes serious eye irritation. Ball Causes respiratory irritation. Ball Cause respiratory responses of contents. Ball Cause respiratory responses of c	lazard statem	ents
 May cause respiratory irritation. Avoid breathing dust/fume/gas/mist/vapors/spray Wear eye protection / face protection. Poster eye protection / face protection. Pice eye protection / face protection. Pice eye protection / face protection. Pice eye eye eye protection / face protection. Pice eye eye eye eyes eye of contents/container in accordance with local/regional/national/international regulations. Pice eye eye eye eye eye eye eye eye eye e	H315 Causes s	kin irritation.
Precautionary statements 1261 Avoid breathing dust/fume/gas/mist/vapors/spray 280 Wear eye protection / face protection. 304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. 2905+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. 2405 Store locked up. 501 Dispose of contents/container in accordance with local/regional/national/international regulations. 2405 Fire = 1 2406 Health = 2 Fire = 1 Reactivity = 0 IMIS-ratings (scale 0 - 4) Health = 2 Fire = 1 Reactivity = 0 IMIS-ratings (scale 0 - 4) Health = 2 Fire = 1 Reactivity = 0 IMIS-ratings (scale 0 - 4) Health = 2 Fire = 1 Reactivity = 0 Precent 1 Reactivity = 0 Precent 2 Fire = 1 Reactivity = 0 Precent 2 Precent 3 Reactivity = 0 Precent 4 Precent 4 PVE: Not applicable. PVE: Not applicable.	H319 Causes s	erious eye irritation.
 Avoid breathing dust/fume/gas/mist/vapors/spray Wear eye protection / face protection. Wear eye protection / face protection. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Store locked up. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. Stassification system: IFPA ratings (scale 0 - 4) Health = 2 Fire = 1 Reactivity = 0 IMIS-ratings (scale 0 - 4) Health = 2 Fire = 1 Reactivity = 0 IMIS-ratings (scale 0 - 4) Health = 2 Fire = 1 Reactivity = 0 IMIS-ratings (scale 0 - 4) Health = 2 Fire = 1 Reactivity = 0 IMIS-ratings (scale 0 - 4) Health = 2 Fire = 1 Reactivity = 0 IMIS-ratings (scale 0 - 4) Health = 2 Fire = 1 Reactivity = 0 Reactivity = 0 IMIS-ratings (scale 0 - 4) Health = 2 Fire = 1 Reactivity = 0 Reactivity = 0 	1335 May caus	e respiratory irritation.
 Wear eye protection / face protection. I INHALED: Remove person to fresh air and keep comfortable for breathing. Pathewski exercised and easy to do. Continue rinsing. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. Classification system: IFPA ratings (scale 0 - 4) Health = 2 Fire = 1 Reactivity = 0 IMIS-ratings (scale 0 - 4) Health = 2 Fire = 1 Reactivity = 0 Pother hazards Results of PBT and vPvB assessment PyB: Not applicable. 		
 P304+P340 IF INHÁLÉD: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Classification system: IFPA ratings (scale 0 - 4) Health = 2 Fire = 1 Reactivity = 0 IMIS-ratings (scale 0 - 4) Health = 2 Fire = 1 Reactivity = 0 IMIS-ratings (scale 0 - 4) Health = 2 Fire = 1 Reactivity = 0 IMIS-ratings (scale 0 - 4) Health = 2 Fire = 1 Reactivity = 0 IMIS-ratings (scale 0 - 4) Health = 2 Fire = 1 Reactivity = 0 IMIS-ratings (scale 0 - 4) Health = 2 Fire = 1 Reactivity = 0 IMIS-ratings (scale 0 - 4) Health = 2 Fire = 1 Reactivity = 0 IMIS-ratings (scale 0 - 4) Health = 2 Fire = 1 Reactivity = 0 IMIS-ratings (scale 0 - 4) I	P261	
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Plassification system: IFPA ratings (scale 0 - 4) P105 Fire = 1 Reactivity = 0 Reactivity = 0 IMIS-ratings (scale 0 - 4) Health = 2 PIRE 1 Reactivity = 0 Reactivity = 0 IMIS-ratings (scale 0 - 4) Fire = 1 Reactivity = 0 Reactivity = 0 PIRE 1 Reactivity = 0 Reactivity = 0 PVB: Not applicable. PvB: Not applicable.	P280	
present and easy to do. Continue rinsing. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. Classification system: IFPA ratings (scale 0 - 4) Health = 2 Fire = 1 Reactivity = 0 IMIS-ratings (scale 0 - 4) Health = 2 Fire = 1 Reactivity = 0 IMIS-ratings (scale 0 - 4) Health = 2 Fire = 1 Reactivity = 0 Other hazards Results of PBT and vPvB assessment BT: Not applicable. PvB: Not applicable. PvB: Not applicable.	P304+P340	
2405 Store locked up. 2501 Dispose of contents/container in accordance with local/regional/national/international regulations. Classification system: IfPA ratings (scale 0 - 4) 1 1 1 Health = 2 Fire = 1 Reactivity = 0 IMIS-ratings (scale 0 - 4) Health = 2 Fire = 1 Reactivity = 0 IMIS-ratings (scale 0 - 4) Health = 2 Fire = 1 Reactivity = 0 Other hazards Results of PBT and vPvB assessment PST: Not applicable. PvB: Not applicable. PvB: Not applicable. PvB: Not applicable.	2305+P351+P3	
Dispose of contents/container in accordance with local/regional/national/international regulations. Dispose of contents/con		
regulations. Classification system: IFPA ratings (scale 0 - 4) Health = 2 Fire = 1 Reactivity = 0 IMIS-ratings (scale 0 - 4) Health = 2 Fire = 1 Reactivity = 0 Other hazards Results of PBT and vPvB assessment PT: Not applicable. PvB: Not applicable. PvB: Not applicable.		
Classification system: IFPA ratings (scale 0 - 4) Image: provide the stress of the st	-501	
IFPA ratings (scale 0 - 4) Image: Provide the state of th		
Health = 2 Fire = 1 Reactivity = 0 MIS-ratings (scale 0 - 4) HEALTH 2 Health = 2 Fire = 1 Reactivity = 0 Other hazards Results of PBT and vPvB assessment PvB: Not applicable. PvB: Not applicable.		
Fire = 1 Reactivity = 0 MIS-ratings (scale 0 - 4) HEALTH 2 Health = 2 Fire = 1 Reactivity 0 Pther hazards Results of PBT and vPvB assessment PbT: Not applicable. PvB: Not applicable. PvB: Not applicable.	NFPA raungs (scale 0 - 4)
Fire = 1 Reactivity = 0 MIS-ratings (scale 0 - 4) HEALTH 2 Health = 2 Fire = 1 Reactivity 0 Pther hazards Results of PBT and vPvB assessment PbT: Not applicable. PvB: Not applicable. PvB: Not applicable.	He He	ealth = 2
IMIS-ratings (scale 0 - 4) HEALTH 2 FIRE 1 FRE 1 REACTIVITY 0 Other hazards Reactivity = 0 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. PvB: Not applicable. PvB: Not applicable. PvB: Not applicable.	Fi	re = 1
IMIS-ratings (scale 0 - 4) HEALTH 2 FIRE 1 FRE 1 REACTIVITY 0 Other hazards Reactivity = 0 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. PvB: Not applicable. PvB: Not applicable. PvB: Not applicable.		eactivity = 0
HEALTH 2 HEALTH 2 FIRE 1 REACTIVITY 0 Health = 2 Fire = 1 Reactivity = 0 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. PvB: Not applicable. PvB: Not applicable. Composition/information on ingredients	▼ ∨	
Fire = 1 Reactivity = 0 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. PvB: Not applicable. Composition/information on ingredients	-IMIS-ratings (scale 0 - 4)
FIRE 1 REACTIVITY 0 Fire = 1 Reactivity = 0 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. PvB: Not applicable. Composition/information on ingredients	HEALTH 2	lealth = 2
REACTIVITY Reactivity = 0 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. PvB: Not applicable. Composition/information on ingredients		
Other hazards Results of PBT and vPvB assessment PBT: Not applicable. PvB: Not applicable. Composition/information on ingredients		
Results of PBT and vPvB assessment PBT: Not applicable. PvB: Not applicable. Composition/information on ingredients		
PBT: Not applicable. PvB: Not applicable. Composition/information on ingredients	Other hazards	
PvB: Not applicable. Composition/information on ingredients	Results of PB	and vPvB assessment
Composition/information on ingredients		
	/PvB: Not appl	icable.
hemical characterization: Substances	Compositio	n/information on ingredients
	Chemical char	acterization: Substances
	CAS No. Desc CAS: 2785-89-9	
CAS: 2785-89-9 4-Ethyl Guaiacol	dentification r	

- Identification number(s)
- EC number: 220-500-4

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: If symptoms persist consult doctor.

(Continued on page 3)

US



Printing date 01/16/2024

Reviewed on 01/10/2023

(Continuation of page 2)

Trade name: 4-Ethyl Guaiacol synthetic

- Information for doctor:
 - Most important symptoms and effects, both acute and delayed No further relevant information available.
 - **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or alcoholresistant foam.
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information
- Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

• Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

· PAC-1:

Substance is not listed.

· PAC-2:

Substance is not listed.

· PAC-3:

Substance is not listed.

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

(Continued on page 4)



Printing date 01/16/2024

Reviewed on 01/10/2023

Trade name: 4-Ethyl Guaiacol synthetic

(Continuation of page 3)

- Conditions for safe storage, including any incompatibilities
 Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
 - Please refer to the product specification and/or Certificate of Analysis for product storage requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as a basis.
- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

(Continued on page 5)

US



Printing date 01/16/2024

Reviewed on 01/10/2023

Trade name: 4-Ethyl Guaiacol synthetic

(Continuation of page 4)

 • Eye protection:

 Tightly sealed goggles

 9 Physical and chemical properties

General Information	
Appearance: Form: Color:	Liquid According to product specification
Odor: Odor threshold:	According to product specification Not determined.
pH-value:	Not determined.
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 235 °C (455 °F)
Flash point:	108 °C (226.4 °F)
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Ignition temperature:	Not determined.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not determined.
Density at 20 °C (68 °F):	1.065 g/cm³ (8.88743 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wa	ter): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal



Printing date 01/16/2024

Reviewed on 01/10/2023

(Continuation of page 5)

Trade name: 4-Ethyl Guaiacol synthetic

· Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 2 (Assessment by list): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.
- Danger to drinking water if even small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

(Continued on page 7)

US



Printing date 01/16/2024

Trade name: 4-Ethyl Guaiacol synthetic

(Continuation of page 6)

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT, ADN, IMDG, IATA	Not Regulated
UN proper shipping name DOT, ADN, IMDG, IATA	Not Regulated
Transport hazard class(es)	
DOT, ADN, IMDG, IATA Class	Not Regulated
Packing group DOT, IMDG, IATA	Not Regulated
Environmental hazards: Marine pollutant:	Νο
Special precautions for user	Not applicable.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	Il of Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Not Regulated

15 Regulatory information

$^{\cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\cdot}$ Sara

• Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

• TSCA (Toxic Substances Control Act):

- ACTIVE
- · Hazardous Air Pollutants
- Substance is not listed.

(Continued on page 8)

[·]US



Printing date 01/16/2024

Reviewed on 01/10/2023

Trade name: 4-Ethyl Guaiacol synthetic

Proposition 6	
Chemicals kn	own to cause cancer:
Substance is n	ot listed.
Chemicals kn	own to cause reproductive toxicity for females:
Substance is n	ot listed.
Chemicals kn	own to cause reproductive toxicity for males:
Substance is n	ot listed.
	own to cause developmental toxicity:
Substance is n	ot listed.
Carcinogenic	categories
EPA (Environ	mental Protection Agency)
Substance is n	ot listed.
	ld Limit Value)
Substance is n	ot listed.
•	tional Institute for Occupational Safety and Health)
Substance is n	ot listed.
symbol on a wł The substance	label shall be in the shape of a square set at a point and shall include a black haz hite background with a red frame sufficiently wide to be clearly visible. is classified and labeled according to the Globally Harmonized System (GHS). rams
symbol on a wh The substance Hazard pictog	nite background with a red frame sufficiently wide to be clearly visible. is classified and labeled according to the Globally Harmonized System (GHS).
symbol on a wh The substance Hazard pictog	hite background with a red frame sufficiently wide to be clearly visible. is classified and labeled according to the Globally Harmonized System (GHS). rams
symbol on a wh The substance Hazard pictog GHS07 Signal word W	hite background with a red frame sufficiently wide to be clearly visible. is classified and labeled according to the Globally Harmonized System (GHS). rams
symbol on a wh The substance Hazard pictog GHS07 Signal word W Hazard-detern 4-Ethyl Guaiac	hite background with a red frame sufficiently wide to be clearly visible. is classified and labeled according to the Globally Harmonized System (GHS). rams /arning nining components of labeling: ol
symbol on a wh The substance Hazard pictog GHS07 Signal word W Hazard-detern 4-Ethyl Guaiac Hazard statem	hite background with a red frame sufficiently wide to be clearly visible. is classified and labeled according to the Globally Harmonized System (GHS). rams /arning nining components of labeling: ol nents
symbol on a wh The substance Hazard pictog GHS07 Signal word W Hazard-detern 4-Ethyl Guaiac Hazard statern H315 Causes s	hite background with a red frame sufficiently wide to be clearly visible. is classified and labeled according to the Globally Harmonized System (GHS). rams /arning nining components of labeling: ol nents skin irritation.
symbol on a wh The substance Hazard pictog GHS07 Signal word W Hazard-detern 4-Ethyl Guaiac Hazard statem H315 Causes s H319 Causes s	hite background with a red frame sufficiently wide to be clearly visible. is classified and labeled according to the Globally Harmonized System (GHS). rams /arning nining components of labeling: ol nents
symbol on a wh The substance Hazard pictog GHS07 Signal word W Hazard-detern 4-Ethyl Guaiac Hazard statern H315 Causes s H319 Causes s H335 May cause Precautionary	hite background with a red frame sufficiently wide to be clearly visible. is classified and labeled according to the Globally Harmonized System (GHS). rams /arning nining components of labeling: ol nents skin irritation. serious eye irritation. se respiratory irritation. se respiratory irritation.
symbol on a wh The substance Hazard pictog GHS07 Signal word W Hazard-detern 4-Ethyl Guaiac Hazard statern H315 Causes s H319 Causes s H335 May caus Precautionary P261	hite background with a red frame sufficiently wide to be clearly visible. is classified and labeled according to the Globally Harmonized System (GHS). rams /arning nining components of labeling: ol nents skin irritation. serious eye irritation. serious eye irritation. serespiratory irritation. se respiratory irritation. statements Avoid breathing dust/fume/gas/mist/vapors/spray
symbol on a wh The substance Hazard pictog GHS07 Signal word W Hazard-detern 4-Ethyl Guaiac Hazard statern H315 Causes s H319 Causes s H319 Causes s H335 May caus Precautionary P261 P280	hite background with a red frame sufficiently wide to be clearly visible. is classified and labeled according to the Globally Harmonized System (GHS). rams /arning nining components of labeling: ol nents skin irritation. serious eye irritation. serespiratory irritation. se respiratory irritation. statements Avoid breathing dust/fume/gas/mist/vapors/spray Wear eye protection / face protection.
symbol on a wh The substance Hazard pictog GHS07 Signal word W Hazard-detern 4-Ethyl Guaiac Hazard statern H315 Causes s H319 Causes s H319 Causes s H319 Causes s H335 May caus Precautionary P261 P280 P304+P340	hite background with a red frame sufficiently wide to be clearly visible. is classified and labeled according to the Globally Harmonized System (GHS). rams /arning nining components of labeling: ol nents skin irritation. serious eye irritation. serious eye irritation. serespiratory irritation. se respiratory irritation. statements Avoid breathing dust/fume/gas/mist/vapors/spray
symbol on a wh The substance Hazard pictog GHS07 Signal word W Hazard-detern 4-Ethyl Guaiac Hazard statem H315 Causes s H319 Cause s H319	hite background with a red frame sufficiently wide to be clearly visible. is classified and labeled according to the Globally Harmonized System (GHS). rams /arning hining components of labeling: ol hents skin irritation. serious eye irritation. serespiratory irritation. serespiratory irritation. serespiratory irritation. statements Avoid breathing dust/fume/gas/mist/vapors/spray Wear eye protection / face protection. IF INHALED: Remove person to fresh air and keep comfortable for breathing. 338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses present and easy to do. Continue rinsing. Store locked up.
symbol on a wh The substance Hazard pictog GHS07 Signal word W Hazard-detern 4-Ethyl Guaiac Hazard statern H315 Causes s H319 Causes s H319 Causes s H335 May caus Precautionary P261 P280 P304+P340 P305+P351+P3	hite background with a red frame sufficiently wide to be clearly visible. is classified and labeled according to the Globally Harmonized System (GHS). rams /arning nining components of labeling: ol nents skin irritation. serious eye irritation. ser respiratory irritation. ser espiratory irritation. statements Avoid breathing dust/fume/gas/mist/vapors/spray Wear eye protection / face protection. IF INHALED: Remove person to fresh air and keep comfortable for breathing. 338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses present and easy to do. Continue rinsing.



Printing date 01/16/2024

Reviewed on 01/10/2023

Trade name: 4-Ethyl Guaiacol synthetic

(Continuation of page 8)

16 Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Department issuing SDS: Product Safety Department · Contact: **Product Safety Department** productsafety@adv-bio.com · Date of preparation / last revision 01/16/2024 · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Skin Irritation 2: Skin corrosion/irritation - Category 2 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3