

Printing date 01/16/2024


Reviewed on 01/10/2023





Printing date 01/16/2024

Reviewed on 01/10/2023



- · Chemical characterization: Substances
- · CAS No. Description
- CAS: 18640-74-9 2-Isobutyl Thiazole
- · Identification number(s)
- EC number: 242-470-1

(Continued on page 3)



Printing date 01/16/2024

Reviewed on 01/10/2023

Trade name: 2-Isobutyl Thiazole synthetic

(Continuation of page 2)

4 First-aid measures

- Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information
- Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Prevent seepage into sewage system, workpits and cellars.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation.
- Reference to other sections See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals
- · PAC-1:

Substance is not listed.

PAC-2:

Substance is not listed.

(Continued on page 4)

<u>us</u> –



Printing date 01/16/2024

Reviewed on 01/10/2023

(Continuation of page 3)

Trade name: 2-Isobutyl Thiazole synthetic

· PAC-3:

Substance is not listed.

7 Handling and storage

· Handling:

- Precautions for safe handling
 Ensure good ventilation/exhaustion at the workplace.

 Prevent formation of aerosols.
 Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.

Please refer to the product specification and/or Certificate of Analysis for product storage requirements.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

- Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as a basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

(Continued on page 5)



Printing date 01/16/2024

Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Reviewed on 01/10/2023

Trade name: 2-Isobutyl Thiazole synthetic

(Continuation of page 4)

· Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

• Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

• Eye protection:

Tightly sealed goggles

9 Physical and chemical properties

Appearance: Form:	Liquid	
Color:	According to product specification	
Odor:	According to product specification	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	172-180 °C (341.6-356 °F)	
Flash point:	58 °C (136.4 °F)	
Flammability (solid, gaseous):	Flammable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Not determined.	
Danger of explosion:	Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	1.001 g/cm³ (8.35334 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wa	ter): Not determined.	
Viscosity:		
Dynamic:	Not determined.	



Printing date 01/16/2024

Reviewed on 01/10/2023

Trade name: 2-Isobutyl Thiazole synthetic

	(C	ontinuation of page 5)
Kinematic: VOC content:	Not determined. 0.00 % 0.0 g/l / 0.00 lb/gal	O
· Other information	No further relevant information available.	A .

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

(Continued on page 7)

US



Printing date 01/16/2024

Trade name: 2-Isobutyl Thiazole synthetic

(Continuation of page 6)

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, IMDG, IATA	UN1993
UN proper shipping name DOT	Flammable liquids, n.o.s. (2-Isobutyl Thiazole)
IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (2-Isobutyl Thiazole)
Transport hazard class(es)	
DOT	
RUMMALE LOUD	
3	(/)
Class	3 Flammable liquids
Label	3
IMDG, IATA	
Class	3 Flammable liquids
Label	3
Packing group	
DOT, IMDG, IATA	III
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Stowage Category	A
Transport in bulk according to Anne	
MARPOL73/78 and the IBC Code	Not applicable.



Printing date 01/16/2024

Reviewed on 01/10/2023

Trade name: 2-Isobutyl Thiazole synthetic

	(Continuation of page 7)
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (2-ISOBUTYL THIAZOLE), 3, III
	THIAZOLE), 3, III

15 Regulatory information

 $^{\cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\cdot}$ Sara

Section 355 (extremely hazardous substances):	
Substance is not listed.	
Section 313 (Specific toxic chemical listings):	
Substance is not listed.	
TSCA (Toxic Substances Control Act):	
ACTIVE	
Hazardous Air Pollutants	
Substance is not listed.	
Proposition 65	
Chemicals known to cause cancer:	
Substance is not listed.	
Chemicals known to cause reproductive toxicity for females:	
Substance is not listed.	
Chemicals known to cause reproductive toxicity for males:	
Substance is not listed.	
Chemicals known to cause developmental toxicity:	
Substance is not listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
Substance is not listed.	
TLV (Threshold Limit Value)	
Substance is not listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
Substance is not listed.	
	(Continued on page



Printing date 01/16/2024

Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Reviewed on 01/10/2023

Trade name: 2-Isobutyl Thiazole synthetic

· GHS label ele	(Continuation of page 8)
symbol on a w	In label shall be in the shape of a square set at a point and shall include a black hazard thite background with a red frame sufficiently wide to be clearly visible. The is classified and labeled according to the Globally Harmonized System (GHS). Grams
GHS02 GH	
· Signal word \	Narning
	mining components of labeling:
2-Isobutyl Thia	
· Hazard stater	
	ble liquid and vapor.
H315 Causes	
	serious eye irritation. Ise respiratory irritation.
· Precautionary	
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P303+P361+P	2353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+F	2338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
Chamical of	ety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product Safety Department

- · Contact:
- Product Safety Department
- productsafety@adv-bio.com
- · Date of preparation / last revision 01/16/2024
- Abbreviations and acronyms:
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the
 International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 EINECS: European Inventory of Existing Commercial Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 NFPA: National Fire Protection Association (USA)
 HMIS: Hazardous Materials Identification System (USA)
 VOC: Volatile Organic Compounds (USA, EU)
 PBT: Persistent, Bioaccumulative and Toxic
 vPVB: very Persistent and very Bioaccumulative
 NIOSH: National Institute for Occupational Safety
 (Continued on page 10)

- 119



Printing date 01/16/2024

Reviewed on 01/10/2023

Trade name: 2-Isobutyl Thiazole synthetic

(Continuation of page 9) OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 3: Flammable liquids – Category 3 Skin Irritation 2: Skin corrosion/irritation – Category 2 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3 US

0