

Date of issue: 04/17/2025

Reviewed on 04/17/2025

## 1 Identification

#### · Product identifier

- · Trade name: Lemon Extract natural
- · Other means of identification
- Product number: 6086
- · Application of the substance / the mixture Flavoring Ingredients

#### · Details of the supplier of the safety data sheet

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Advanced Biotech makes NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Advanced Biotech product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Advanced Biotech product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Advanced Biotech product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

- Manufacturer/Supplier: Advanced Biotech 10 Taft Road Totowa, NJ 07512 USA
- Information department:
   Product Safety Department
   productsafety@adv-bio.com
- Emergency telephone number: Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International) Email: responders@infotrac.net & During normal business hours: 1-973-339-6242

## 2 Hazard(s) identification

Classification of the substance or mixture

GHS02 Flame

Flammable liquids 3 H226 Flammable liquid and vapor.



Eye irritation 2A H319 Causes serious eye irritation.

**GHS** label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.

The product is classified and labeled according to the Globally Harmonized System (GHS).

## Hazard pictograms



· Signal word Warning

(Continued on page 2)



Date of issue: 04/17/2025

	(Continuation of page
· Hazard staten	
	ble liquid and vapor.
	serious eye irritation.
<ul> <li>Precautionary</li> </ul>	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition source. No smoking.
P241 P303+P361+P	Use explosion-proof [electrical/ventilating/lighting] equipment. 353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin v water [or shower].
P305+P351+P	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lense present and easy to do. Continue rinsing.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/internation regulations.
· Information p	ertaining to particular dangers for man and environment:
- Classification	system:
• NFPA ratings	(scale 0 - 4)
	ire = 3
	eactivity = 0
· HMIS-ratings	eactivity = 0
· HMIS-ratings	eactivity = 0 (scale 0 - 4)
• HMIS-ratings	eactivity = 0 (scale 0 - 4) Health = 2
HMIS-ratings	eactivity = 0 (scale 0 - 4) Health = 2 Fire = 3
HMIS-ratings HEALTH 2 FIRE 3 REACTIVITY 0	eactivity = 0 (scale 0 - 4) Health = 2 Fire = 3 Reactivity = 0
• HMIS-ratings HEALTH 2   FIRE 3   REACTIVITY 0	eactivity = 0 (scale 0 - 4) Health = 2 Fire = 3 Reactivity = 0
• HMIS-ratings HEALTH 2 FIRE 3 REACTIVITY 0 • Other hazards • Results of PB	eactivity = 0 (scale 0 - 4) Health = 2 Fire = 3 Reactivity = 0 T and vPvB assessment
<ul> <li>HMIS-ratings</li> <li>HEALTH 2</li> <li>FIRE 3</li> <li>FIRE 3</li> <li>REACTIVITY 0</li> <li>Other hazards</li> <li>Results of PB</li> <li>PBT: Not appli</li> </ul>	eactivity = 0 (scale 0 - 4) Health = 2 Fire = 3 Reactivity = 0 T and vPvB assessment cable.
<ul> <li>HMIS-ratings</li> <li>HEALTH 2</li> <li>FIRE 3</li> <li>FREACTIVITY 0</li> <li>Other hazards</li> <li>Results of PB</li> <li>PBT: Not appli</li> <li>vPvB: Not appli</li> </ul>	eactivity = 0 (scale 0 - 4) Health = 2 Fire = 3 Reactivity = 0 T and vPvB assessment cable. licable.
<ul> <li>HMIS-ratings</li> <li>HEALTH 2</li> <li>FIRE 3</li> <li>FIRE 3</li> <li>REACTIVITY 0</li> <li>Other hazards</li> <li>Results of PB</li> <li>PBT: Not appli</li> <li>vPvB: Not appli</li> <li>Classification</li> </ul>	eactivity = 0 (scale 0 - 4) Health = 2 Fire = 3 Reactivity = 0 T and vPvB assessment cable. licable. according to (d)(1)(ii) of § 1910.1200
<ul> <li>HMIS-ratings</li> <li>HEALTH 2</li> <li>FIRE 3</li> <li>FIRE 3</li> <li>REACTIVITY 0</li> <li>Other hazards</li> <li>Other hazards</li> <li>Results of PB</li> <li>PBT: Not appli</li> <li>vPvB: Not appli</li> <li>Classification</li> <li>The SDS issues</li> </ul>	eactivity = 0 (scale 0 - 4) Health = 2 Fire = 3 Reactivity = 0 T and vPvB assessment cable. licable. according to (d)(1)(ii) of § 1910.1200 er does not object to the classifications provided by importers or manufacturers
<ul> <li>HMIS-ratings</li> <li>HEALTH 2</li> <li>FIRE 3</li> <li>FIRE 3</li> <li>REACTIVITY 0</li> <li>Other hazards</li> <li>Other hazards</li> <li>Results of PB</li> <li>PBT: Not appli</li> <li>vPvB: Not appli</li> <li>classification</li> <li>The SDS issuition</li> <li>precursor production</li> </ul>	eactivity = 0 (scale 0 - 4) Health = 2 Fire = 3 Reactivity = 0 T and vPvB assessment cable. licable. according to (d)(1)(ii) of § 1910.1200 er does not object to the classifications provided by importers or manufacturers ucts.
<ul> <li>HMIS-ratings</li> <li>HEALTH 2</li> <li>FIRE 3</li> <li>FIRE 3</li> <li>REACTIVITY 0</li> <li>Other hazards</li> <li>Other hazards</li> <li>Results of PB</li> <li>PBT: Not appli</li> <li>vPvB: Not appli</li> <li>Classification</li> <li>The SDS issu</li> <li>precursor prod</li> <li>Hazards not o</li> </ul>	eactivity = 0 (scale 0 - 4) Health = 2 Fire = 3 Reactivity = 0 T and vPvB assessment cable. licable. according to (d)(1)(ii) of § 1910.1200 er does not object to the classifications provided by importers or manufacturers ucts. therwise classified
<ul> <li>HMIS-ratings</li> <li>HEALTH 2</li> <li>FIRE 3</li> <li>FIRE 3</li> <li>REACTIVITY 0</li> <li>Other hazards</li> <li>Results of PB</li> <li>PBT: Not appli</li> <li>vPvB: Not appli</li> <li>vPvB: Not appli</li> <li>Classification</li> <li>The SDS issu precursor prod</li> <li>Hazards not on</li> <li>There are no an</li> </ul>	eactivity = 0 (scale 0 - 4) Health = 2 Fire = 3 Reactivity = 0 T and vPvB assessment cable. licable. according to (d)(1)(ii) of § 1910.1200 er does not object to the classifications provided by importers or manufacturers ucts. therwise classified dverse physical or health effects known that are not covered by the hazard classes of
<ul> <li>HMIS-ratings</li> <li>HEALTH 2</li> <li>FIRE 3</li> <li>FIRE 3</li> <li>REACTIVITY 0</li> <li>Other hazards</li> <li>Results of PB</li> <li>PBT: Not appli</li> <li>vPvB: Not appli</li> <li>vPvB: Not appli</li> <li>Classification</li> <li>The SDS issu precursor prod</li> <li>Hazards not on</li> <li>There are no an</li> </ul>	eactivity = 0 (scale 0 - 4) Health = 2 Fire = 3 Reactivity = 0 T and vPvB assessment cable. licable. according to (d)(1)(ii) of § 1910.1200 er does not object to the classifications provided by importers or manufacturers ucts. therwise classified
<ul> <li>HMIS-ratings</li> <li>HEALTH 2</li> <li>FIRE 3</li> <li>FIRE 3</li> <li>REACTIVITY 0</li> <li>Other hazards</li> <li>Results of PB</li> <li>PBT: Not appli</li> <li>vPvB: Not appli</li> <li>vPvB: Not appli</li> <li>Classification</li> <li>The SDS issu precursor prod</li> <li>Hazards not on</li> <li>There are no an</li> </ul>	eactivity = 0 (scale 0 - 4) Health = 2 Fire = 3 Reactivity = 0 T and vPvB assessment cable. licable. according to (d)(1)(ii) of § 1910.1200 er does not object to the classifications provided by importers or manufacturers ucts. therwise classified dverse physical or health effects known that are not covered by the hazard classes of
HMIS-ratings HEALTH 2 FIRE 3 REACTIVITY 0 Other hazards Results of PB PBT: Not appli VPvB: Not appli VPvB: Not appli Classification The SDS issu precursor prod Hazards not o There are no a Hazard Comm	eactivity = 0 (scale 0 - 4) Health = 2 Fire = 3 Reactivity = 0 T and vPvB assessment cable. licable. according to (d)(1)(ii) of § 1910.1200 er does not object to the classifications provided by importers or manufacturers ucts. therwise classified dverse physical or health effects known that are not covered by the hazard classes of

<ul> <li>Dangerous</li> </ul>	components:

CAS: 64-17-5 Ethanol EINECS: 200-578-6 🚸 Flammable liquids 2, H225

≥25-≤50%

## 4 First-aid measures

· Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.

(Continued on page 3)



Date of issue: 04/17/2025

Reviewed on 04/17/2025

(Continuation of page 2)

#### Trade name: Lemon Extract natural

- · After skin contact: Immediately rinse with water.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation.
- Protective Action Criteria for Chemicals

· PAC-1:

All components have the value 1,800 ppm.

· PAC-2:

All components have the value 3300\* ppm.

· PAC-3:

All components have the value 15000\* ppm.

#### Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

· Precautions for safe handling No special precautions are necessary if used correctly.

• Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.

(Continued on page 4)

ús



Date of issue: 04/17/2025

#### Reviewed on 04/17/2025

#### Trade name: Lemon Extract natural

(Continuation of page 3)

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:
- Please refer to the product specification and/or Certificate of Analysis for product storage requirements. • Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.
- 8 Exposure controls/personal protection
- · Control parameters

· Components with limit values that require monitoring at the workplace:

#### CAS: 64-17-5 Ethanol

PEL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm

- REL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm
- TLV Short-term value: 1880 mg/m<sup>3</sup>, 1000 ppm
- A3

· Additional information: The lists that were valid during the creation were used as a basis.

- · Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

- Avoid contact with the eyes and skin.
- Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

(Continued on page 5)

JS



Date of issue: 04/17/2025

Reviewed on 04/17/2025

#### Trade name: Lemon Extract natural

(Continuation of page 4) · Eye protection: Tightly sealed goggles 9 Physical and chemical properties Information on basic physical and chemical properties General Information · Physical state Liquid · Color: According to product specification · Odor: According to product specification · Odor threshold: Not determined. · Melting point/Melting range: Undetermined. · Boiling point/Boiling range: Undetermined. · Flammability: Flammable. · Explosion limits: · Lower: 3.5 Vol % · Upper: 15 Vol % · Flash point: 24.3 °C (75.7 °F) • Auto igniting: 425 °C (797 °F) · Decomposition temperature: Not determined. Not determined. · pH-value: · Viscosity: · Kinematic: Not determined. · Dynamic: Not determined. · Solubility in / Miscibility with Fully miscible. · Water: · Partition coefficient (n-octanol/water): Not determined. · Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg) · Vapor pressure: · Density at 20 °C (68 °F): 0.925-0.955 g/cm3 (7.71913-7.96948 lbs/gal) · Relative density Not determined. · Refractive Index · Vapor density Not determined. Particle characteristics Not applicable. · Other information · Appearance: · Form: Liquid · Important information on protection of health and environment, and on safety. · Ignition temperature: Product is not selfigniting. • Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. Solvent content: · Organic solvents: 35-45 % · VOC content: 35-45 % 416.3-429.8 g/l / 3.47-3.59 lb/gal

(Continued on page 6)



Date of issue: 04/17/2025

#### Reviewed on 04/17/2025

#### Trade name: Lemon Extract natural

(Continuation of page 5)

- · Change in condition
- Evaporation rate

Not determined.

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

- Irritant
- · Interactive effects No interactive effects between components are known.

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

All components have the value 1.

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

Alternative sources for toxicological information No non-standard sources for toxicological information where used.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Continued on page 7)

US



Date of issue: 04/17/2025

Reviewed on 04/17/2025

#### Trade name: Lemon Extract natural

(Continuation of page 6)

- Other adverse effects • Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## 13 Disposal considerations

#### · Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

Transport information	
· UN-Number · DOT, IMDG, IATA	UN1197
· UN proper shipping name · DOT, IATA · IMDG	Extracts, liquid EXTRACTS, LIQUID
· Transport hazard class(es)	
DOT	
PANALE FLOR	
Class	3 Flammable liquids
Label	3
Class	3 Flammable liquids
Label	3
· Packing group	
DOT, IMDG, IATA	III
· Environmental hazards:	Not applicable.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	Il of Not applicable.
	(Continued on pa

US



# Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Date of issue: 04/17/2025

Reviewed on 04/17/2025

#### **Trade name: Lemon Extract natural**

	(Continuation of page 7	
Transport/Additional information:		
DOT		
Quantity limitations	On passenger aircraft/rail: 60 L	
-	On cargo aircraft only: 220 L	
·IMDG		
Limited quantities (LQ)	5L	
Excepted quantities (EQ)	Code: E1	
	Maximum net quantity per inner packaging: 30 ml	
	Maximum net quantity per outer packaging: 1000 ml	
Special precautions for user	Warning: Flammable liquids	
Hazard identification number (Kemler c	:ode): 30	
EMS Number:	F-E,S-D	
Stowage Category	A	
UN "Model Regulation":	UN 1197 EXTRACTS, LIQUID, 3, III	
-		

# 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
· Hazardous Air Pollutants	
None of the ingredients is listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
• Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
• Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
All ingredients are listed.	
· Carcinogenic categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value)	
All components have the value A3.	
	(Continued on page 9)



Date of issue: 04/17/2025

#### Reviewed on 04/17/2025

#### Trade name: Lemon Extract natural

	(Continuation of page 8
NIOSH-Ca (Nat	ional Institute for Occupational Safety and Health)
None of the ing	redients is listed.
symbol on a wh	label shall be in the shape of a square set at a point and shall include a black hazar ite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS).
GHS02 GHS	07
Signal word W	arning
Hazard statem	e de la companya de la
H226 Flammab	le liquid and vapor.
	erious eye irritation.
Precautionary	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources
	No smoking.
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
P303+P361+P3	53 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin wit water [or shower].
P305+P351+P3	38 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses,
	present and easy to do. Continue rinsing.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Chamical safe	ty assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapor.

· Department issuing SDS: Product Safety Department

## · Contact:

Product Safety Department productsafety@adv-bio.com

- · Date of previous version 01/25/2025
- Date of preparation 04/17/2025
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances

- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

(Continued on page 10)

US



Date of issue: 04/17/2025

Reviewed on 04/17/2025

Date of issue: 04/17/2025	Reviewed on 04/17/2025
Trade name: Lemon Extract natural	
VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable liquids 2: Flammable liquids – Category 2 Flammable liquids 3: Flammable liquids – Category 3 Eye irritation 2A: Serious eye damage/eye irritation – Category 2A	(Continuation of page 9)
K.	
7	