

Date of issue: 01/25/2025

Reviewed on 01/25/2025

1 Identification

· Product identifier

- · Trade name: Orange Peel Solid Extract natural
- · CAS Number: 8008-57-9
- · Other means of identification
- · Product number: 6141
- · Application of the substance / the mixture Flavoring Ingredients
- · Details of the supplier of the safety data sheet

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Advanced Biotech makes NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Advanced Biotech product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Advanced Biotech product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Advanced Biotech product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

- Manufacturer/Supplier: Advanced Biotech 10 Taft Road Totowa, NJ 07512 USA
- · Information department:

Product Safety Department productsafety@adv-bio.com

Emergency telephone number: Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International) Email: responders@infotrac.net & During normal business hours: 1-973-339-6242

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Aspiration hazard 1 H304 May be fatal if swallowed and enters airways.



Skin irritation 2 H

H315 Causes skin irritation.

Sensitization - skin 1 H317 May cause an allergic skin reaction.

GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible. The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



(Continued on page 2)

US



Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Date of issue: 01/25/2025

o		(Continuation of page 1)
Signal wo	ord Danger	
	etermining components of labeling:	
Drange oil		
	atements	
	ses skin irritation.	()
	cause an allergic skin reaction. be fatal if swallowed and enters airways.	
	nary statements	
261	Avoid breathing dust/fume/gas/mist/vapors/spray	
	0 If swallowed: Immediately call a poison center/doctor.	
² 321	Specific treatment (see on this label).	
' 331	Do NOT induce vomiting.	
	4 Take off contaminated clothing and wash it before reuse.	
P405	Store locked up.	- 1/1 4: 1/: 4 4: 1
P501	Dispose of contents/container in accordance with local/regiona regulations.	al/national/international
	on pertaining to particular dangers for man and environment:	
	tion system:	
IFPA rati	ngs (scale 0 - 4)	
	Health = 1	
	Fire = 1	
	Reactivity = 0	
IMIS-rati	ngs (scale 0 - 4)	
HEALTH	1 Health = 1	
FIRE	1 Fire = 1	
REACTIVITY	Reactivity = 0	
Other haz	ards	
	f PBT and vPvB assessment	
PBT: Not	applicable.	
	applicable.	
	tion according to (d)(1)(ii) of § 1910.1200	.
	issuer does not object to the classifications provided by importe	ers or manufacturers of
recursor		
	not otherwise classified	he hazard classes of the
	no adverse physical or health effects known that are not covered by t ommunications Standard.	ne nazaru diasses di lite
Compos	sition/information on ingredients	
	ale ve stavingtions. Mintervas	
	characterization: Mixtures	

CAS: 8008-57-9 EC number: 307-891-8 Skin irritation 2, H315; Sensitization - skin 1, H317 (Continued on page 3)



Date of issue: 01/25/2025

Reviewed on 01/25/2025

CAS: 57-55-6	Propylene glycol (Continuation of page 2) 2.5-10%
EINECS: 200-338-0	Propylene glycol 2.5-10%
First-aid measur	es
Description of first a	id measures
	: Immediately remove any clothing soiled by the product.
After inhalation:	
Supply fresh air and b	e sure to call for a doctor.
	sness place patient stably in side position for transportation.
	nmediately wash with water and soap and rinse thoroughly.
	nse opened eye for several minutes under running water.
	symptoms persist consult doctor.
	ptoms and effects, both acute and delayed
No further relevant inf	
No further relevant inf	mediate medical attention and special treatment needed
Fire-fighting mea	sures
Fire-fighting mea Extinguishing media	
Extinguishing media	
<u> </u>	ng agents:
Extinguishing media Suitable extinguishin CO2, powder or alcoh CO2, extinguishing po	ng agents: Iolresistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Extinguishing media Suitable extinguishin CO2, powder or alcoh CO2, extinguishing po Jse fire fighting meas	ng agents: nolresistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam. sures that suit the environment.
Extinguishing media Suitable extinguishin CO2, powder or alcoh CO2, extinguishing po Jse fire fighting meas Special hazards aris	ng agents: nolresistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam. sures that suit the environment. ing from the substance or mixture No further relevant information available.
Extinguishing media Suitable extinguishin CO2, powder or alcoh CO2, extinguishing po Jse fire fighting meas Special hazards aris Advice for firefighter	ng agents: nolresistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam. sures that suit the environment. ing from the substance or mixture No further relevant information available. rs
Extinguishing media Suitable extinguishin CO2, powder or alcoh CO2, extinguishing po Jse fire fighting meas Special hazards aris Advice for firefighter Protective equipmer	ng agents: nolresistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam. sures that suit the environment. ing from the substance or mixture No further relevant information available. rs nt: No special measures required.
Extinguishing media Guitable extinguishin CO2, powder or alcoh CO2, extinguishing po Jse fire fighting meas Special hazards aris Advice for firefighter Protective equipmer Additional informatio	ng agents: nolresistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Extinguishing media Suitable extinguishin CO2, powder or alcoh CO2, extinguishing po Jse fire fighting meas Special hazards aris Advice for firefighter Protective equipmer Additional informatic Cool endangered rece	ng agents: nolresistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam. oures that suit the environment. ing from the substance or mixture No further relevant information available. rs nt: No special measures required. on eptacles with water spray.
Extinguishing media Suitable extinguishin CO2, powder or alcoh CO2, extinguishing po Jse fire fighting meas Special hazards aris Advice for firefighter Protective equipmer Additional informatic Cool endangered rece	ng agents: nolresistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Extinguishing media Suitable extinguishin CO2, powder or alcoh CO2, extinguishing po Jse fire fighting meas Special hazards aris Advice for firefighter Protective equipmer Additional informatic Cool endangered rece	ng agents: nolresistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam. oures that suit the environment. ing from the substance or mixture No further relevant information available. rs nt: No special measures required. on eptacles with water spray.
Extinguishing media Suitable extinguishin CO2, powder or alcoh CO2, extinguishing po Jse fire fighting meas Special hazards aris Advice for firefighter Protective equipmer Additional informatio Cool endangered rece Collect contaminated	ng agents: nolresistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam. sures that suit the environment. ing from the substance or mixture No further relevant information available. rs nt: No special measures required. on eptacles with water spray. fire fighting water separately. It must not enter the sewage system.
Extinguishing media Suitable extinguishin CO2, powder or alcoh CO2, extinguishing po Jse fire fighting meas Special hazards aris Advice for firefighter Protective equipmer Additional informatic Cool endangered rece Collect contaminated	ng agents: nolresistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam. owder or water spray. Fight larger fires with water spray or alcohol resistant foam. oures that suit the environment. ing from the substance or mixture No further relevant information available. rs nt: No special measures required. on eptacles with water spray. fire fighting water separately. It must not enter the sewage system.
Extinguishing media Suitable extinguishin CO2, powder or alcoh CO2, extinguishing po Jse fire fighting meas Special hazards aris Advice for firefighter Protective equipmer Additional informatio Cool endangered rece Collect contaminated Accidental releas Personal precaution	ng agents: iolresistant foam. bowder or water spray. Fight larger fires with water spray or alcohol resistant foam. bowder or water spray. Fight larger fires with water spray or alcohol resistant foam. bowder or water spray. ing from the substance or mixture No further relevant information available. rs nt: No special measures required. on eptacles with water spray. fire fighting water separately. It must not enter the sewage system. Se measures s, protective equipment and emergency procedures Not required.
Extinguishing media Suitable extinguishin CO2, powder or alcoh CO2, extinguishing po Jse fire fighting meas Special hazards aris Advice for firefighter Protective equipmer Additional informatio Cool endangered rece Collect contaminated Accidental releas Personal precaution Environmental preca	ng agents: nolresistant foam. bowder or water spray. Fight larger fires with water spray or alcohol resistant foam. bowder or water spray. Fight larger fires with water spray or alcohol resistant foam. bowder or water spray. fire from the substance or mixture No further relevant information available. rs nt: No special measures required. on eptacles with water spray. fire fighting water separately. It must not enter the sewage system. se measures s, protective equipment and emergency procedures Not required. autions: Do not allow to enter sewers/ surface or ground water.
Extinguishing media Suitable extinguishin CO2, powder or alcoh CO2, extinguishing po Jse fire fighting meas Special hazards aris Advice for firefighter Protective equipmer Additional informatic Cool endangered rece Collect contaminated Accidental releas Personal precaution Environmental preca Methods and materia	Ang agents: nolresistant foam. bowder or water spray. Fight larger fires with water spray or alcohol resistant foam. bowder or water spray. Fight larger fires with water spray or alcohol resistant foam. bowder or water spray. fire from the substance or mixture No further relevant information available. rs nt: No special measures required. on eptacles with water spray. fire fighting water separately. It must not enter the sewage system. Se measures s, protective equipment and emergency procedures Not required. autions: Do not allow to enter sewers/ surface or ground water. al for containment and cleaning up:
Extinguishing media Suitable extinguishin CO2, powder or alcoh CO2, extinguishing po Jse fire fighting meas Special hazards aris Advice for firefighter Protective equipmer Additional informatic Cool endangered rece Collect contaminated Accidental releas Personal precaution Environmental preca Absorb with liquid-bind	ng agents: nolresistant foam. bowder or water spray. Fight larger fires with water spray or alcohol resistant foam. bowder or water spray. Fight larger fires with water spray or alcohol resistant foam. bowder or water spray. fire from the substance or mixture No further relevant information available. rs nt: No special measures required. on eptacles with water spray. fire fighting water separately. It must not enter the sewage system. se measures s, protective equipment and emergency procedures Not required. autions: Do not allow to enter sewers/ surface or ground water.

· PAC-1:

CAS: 57-55-6 Propylene glycol

· PAC-2:

CAS: 57-55-6 Propylene glycol

· PAC-3:

CAS: 57-55-6 Propylene glycol

Reference to other sections

See Section 7 for information on safe handling.

(Continued on page 4)

30 mg/m³

1,300 mg/m³

7,900 mg/m³

US



Date of issue: 01/25/2025

Trade name: Orange Peel Solid Extract natural

Reviewed on 01/25/2025

(Continuation of page 3)

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:
- Please refer to the product specification and/or Certificate of Analysis for product storage requirements. • Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS: 57-55-6 Propylene glycol

WEEL Long-term value: 10 mg/m³

• Additional information: The lists that were valid during the creation were used as a basis.

Exposure controls

- Appropriate engineering controls No further data; see section 7.
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several

(Continued on page 5)



Date of issue: 01/25/2025

Reviewed on 01/25/2025

Trade name: Orange Peel Solid Extract natural

(Continuation of page 4) substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material** The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling.

9 Physical and chemical properties

Information on basic physical and chemical	al properties	
General Information		
[•] Physical state	Liquid	
· Color:	According to product specification	
· Odor:	According to product specification Not determined. Undetermined.	
· Odor threshold:		
· Melting point/Melting range:		
Boiling point/Boiling range:	Undetermined.	
· Flammability:	Not applicable.	
• Explosion limits:		
· Lower:	Not determined.	
· Upper:	Not determined.	
· Flash point:	>110 °C (>230 °F)	
· Auto igniting:	371 °C (699.8 °F)	
 Decomposition temperature: 	Not determined.	
pH-value:	Not determined.	
· Viscosity:		
· Kinematic:	Not determined.	
· Dynamic:	Not determined.	
Solubility in / Miscibility with		
· Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/water):	Not determined.	
· Vapor pressure:	Not determined.	
· Vapor pressure:	Not determined.	
· Density at 20 °C (68 °F):	1.348 g/cm³ (11.24906 lbs/gal)	
· Relative density	Not determined.	
· Refractive Index	Not determined.	
· Vapor density	Not determined.	
· Particle characteristics		
Particle characteristics	Not applicable.	
 Other information 		
· Appearance:		
Form:	Liquid	
 Important information on protection of heat 	alth	
and environment, and on safety.		
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
· Solvent content:		
Organic solvents:	5.0 %	
· VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
· Solids content:	0.0 %	
	0.0 /0	
	(Continued on page 6)	



Date of issue: 01/25/2025

Reviewed on 01/25/2025

Trade name: Orange Peel Solid Extract natural

(Continuation of page 5)

- · Change in condition
- Evaporation rate

Not determined.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability

• **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

- Irritant
- · Interactive effects No interactive effects between components are known.

Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

Alternative sources for toxicological information No non-standard sources for toxicological information where used.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · **Bioaccumulative potential** No further relevant information available.
- · Mobility in soil No further relevant information available.
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.

(Continued on page 7)

US



Date of issue: 01/25/2025

Reviewed on 01/25/2025

Trade name: Orange Peel Solid Extract natural

(Continuation of page 6)

Other adverse effects Additional ecological information:

· General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

· UN-Number · DOT · IMDG, IATA	Not Regulated UN3082
· UN proper shipping name · DOT · IMDG	Not Regulated ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (Extracts, liquid, for aroma), MARIN
·IATA	POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (Extracts, liquid, for aroma)
· Transport hazard class(es)	
· DOT · Class	Not Regulated
· Class · Label	9 Miscellaneous dangerous substances and articles 9
 Packing group DOT IMDG, IATA 	Not Regulated III
 Environmental hazards: Marine pollutant: Special marking (ADR): 	Symbol (fish and tree) Symbol (fish and tree)



Date of issue: 01/25/2025

Reviewed on 01/25/2025

Trade name: Orange Peel Solid Extract natural

	(Continuation of page 7
Special marking (IATA):	Symbol (fish and tree)
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Special precautions for user	Warning: Miscellaneous dangerous substances and articles
 Hazard identification number (Kemler code): EMS Number: Stowage Category 	F-A,S-F A
UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EXTRACTS, LIQUID, FOR AROMA), 9, III
	<u>^</u>

15 Regulatory information

 $^{\cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\cdot}$ Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

WARNING! This product contains chemicals known to the state of California to cause cancer: Myrcene Myrcene CAS-no. 123-35-3 (0.1-0.3% by weight)

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

• Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Continued on page 9)

US



Date of issue: 01/25/2025

Reviewed on 01/25/2025

Trade name: Orange Peel Solid Extract natural

(Continuation of page 8)

Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



· Signal word Danger

- Hazard-determining components of labeling:
- Orange oil
- · Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

- P301+P310 If swallowed: Immediately call a poison center/doctor.
- P321 Specific treatment (see on this label).
- P331 Do NOT induce vomiting.

P362+P364 Take off contaminated clothing and wash it before reuse.

- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapor.

- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

· Department issuing SDS: Product Safety Department

Contact:

Product Safety Department productsafety@adv-bio.com

(Continued on page 10)



Date of issue: 01/25/2025

Reviewed on 01/25/2025

Trade name: Orange Peel Solid Extract natural

Pote of provious version 05/20/2024	(Continuation of page 9)
Date of previous version 05/30/2024 Date of preparation 01/25/2025	
• Abbreviations and acronyms:	
ADR: Accord relatif au transport international des marchandises da International Carriage of Dangerous Goods by Road)	ngereuses par route (European Agreement Concerning the
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Subs	tances
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemica	Society)
NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit REL: Recommended Exposure Limit	
Flammable liquids 3: Flammable liquids – Category 3	
Skin irritation 2: Skin corrosion/irritation – Category 2	
Sensitization - skin 1: Skin sensitisation – Category 1	
Aspiration hazard 1: Aspiration hazard – Category 1	
Q	
X	