

Printing date 07/15/2024 Reviewed on 07/15/2024

1 Identification

· Product identifier

· Trade name: Grillwood Extract OS Natural

· Product number: 6203

· Application of the substance / the mixture Flavoring Ingredients

· Details of the supplier of the safety data sheet

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Advanced Biotech makes NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Advanced Biotech product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Advanced Biotech product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Advanced Biotech product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

Manufacturer/Supplier:

Advanced Biotech 10 Taft Road Totowa, NJ 07512 USA

· Information department:

Product Safety Department productsafety@adv-bio.com

· Emergency telephone number:

Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International)

Email: responders@infotrac.net & During normal business hours: 1-973-339-6242

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carcinogenicity 2 H351 Suspected of causing cancer.



GHS05 Corrosion

Eye Damage 1 H318 Causes serious eye damage.



GHS07

Skin Irritation 2 H315 Causes skin irritation.

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Continued on page 2)

(Continuation of page 1)



Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Printing date 07/15/2024 Reviewed on 07/15/2024

Trade name: Grillwood Extract OS Natural

· Hazard pictograms





GHS05 GHS07 GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

Proprietary FEMA/GRAS flavoring ingredient

· Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.
P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 3 Fire = 1 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = *3 Fire = 1 Reactivity = 0

Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.
- Dangerous components:

Proprietary FEMA/GRAS flavoring ingredient

>3-<5%

Acute Toxicity - Oral 3, H301; Acute Toxicity - Dermal 3, H311; Skin Corrosion 1B, H314; Eye Damage 1, H318

(Continued on page 3)



Printing date 07/15/2024 Reviewed on 07/15/2024

Trade name: Grillwood Extract OS Natural

(Continu	
Proprietary FEMA/GRAS flavoring ingredient	uation of page >0.1-<1%
4) Acute Toxicity - Oral 4, H302; Sensitization - Skin 1, H317	≥0.1->170
Proprietary FEMA/GRAS Flavoring Ingredient	≥0.1-≤2.5%
♠ Flammable Liquids 3, H226; ♠ Acute Toxicity - Oral 3, H301; Acute Toxicity - Inhalation 2, H330; ♠ Carcinogenicity 2, H351; ♠ Acute Toxicity - Dermal 4, H312; Skin Irritation 2, H315; Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H335	7)
Proprietary FEMA/GRAS flavoring ingredient	≥0.1-<1%
Proprietary FEMA/GRAS flavoring ingredient The Flammable Liquids 3, H226; Acute Toxicity - Dermal 3, H311; Acute Toxicity - Inhalation 4, H332	≤2.5%
Proprietary FEMA/GRAS flavoring ingredient Acute Toxicity - Oral 3, H301; Acute Toxicity - Dermal 3, H311; Acute Toxicity - Inhalation 3, H331; Germ Cell Mutagenicity 2, H341; Specific Target Organ Toxicity - Repeated Exposure 2, H373; Skin Corrosion 1B, H314; Eye Damage 1, H318	<1%
Proprietary FEMA/GRAS Flavoring Ingredient Flammable Liquids 2, H225; Specific Target Organ Toxicity - Repeated Exposure 2, H373; September 2, H373; September 2, H373; September 2, H373; Francisco Proprietary FEMA/GRAS Flavoring Ingredient	≥0.1-<1%

4 First-aid measures

- Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air and be sure to call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Cool endangered receptacles with water spray.

(Continued on page 4)



Printing date 07/15/2024 Reviewed on 07/15/2024

Trade name: Grillwood Extract OS Natural

(Continuation of page 3)

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

Proprietary FEMA/GRAS Flavoring Ingredient	2 ppm
Proprietary FEMA/GRAS flavoring ingredient	6.6 mg/m
Proprietary FEMA/GRAS flavoring ingredient	15 ppm
Proprietary FEMA/GRAS flavoring ingredient	3.6 mg/m
Proprietary FEMA/GRAS Flavoring Ingredient	15 ppm
Proprietary FEMA/GRAS Flavoring Ingredient	1.4 ppm
Proprietary FEMA/GRAS flavoring ingredient	15 ppm
Proprietary FEMA/GRAS flavoring ingredient	150 ppm
Proprietary FEMA/GRAS flavoring ingredient	200 ppm
Proprietary FEMA/GRAS flavoring ingredient	250 ppm
Proprietary FEMA/GRAS flavoring ingredient	21 mg/m
PAC-2:	
Proprietary FEMA/GRAS Flavoring Ingredient	10 ppm
Proprietary FEMA/GRAS flavoring ingredient	73 mg/m³
Proprietary FEMA/GRAS flavoring ingredient	23 ppm
Proprietary FEMA/GRAS flavoring ingredient	39 mg/m³
Proprietary FEMA/GRAS Flavoring Ingredient	86 mg/m3
Proprietary FEMA/GRAS Flavoring Ingredient	66 mg/m3
Proprietary FEMA/GRAS flavoring ingredient	96 ppm
Proprietary FEMA/GRAS flavoring ingredient	350 ppm
Proprietary FEMA/GRAS flavoring ingredient	2700* ppr
Proprietary FEMA/GRAS flavoring ingredient	1,700 ppr
Proprietary FEMA/GRAS flavoring ingredient	230 mg/m
PAC-3:	
Proprietary FEMA/GRAS Flavoring Ingredient	100 ppm
Proprietary FEMA/GRAS flavoring ingredient	440 mg/m³
Proprietary FEMA/GRAS flavoring ingredient	200 ppm



Printing date 07/15/2024 Reviewed on 07/15/2024

Trade name: Grillwood Extract OS Natural

(Conf	tinuation of page 4)
Proprietary FEMA/GRAS flavoring ingredient	310 mg/m ³
Proprietary FEMA/GRAS Flavoring Ingredient	510 mg/m3
Proprietary FEMA/GRAS Flavoring Ingredient	400 mg/m3
Proprietary FEMA/GRAS flavoring ingredient	570 ppm
Proprietary FEMA/GRAS flavoring ingredient	2100* ppm
Proprietary FEMA/GRAS flavoring ingredient	4000* ppm
Proprietary FEMA/GRAS flavoring ingredient	10000* ppm
Proprietary FEMA/GRAS flavoring ingredient	1,400 mg/m ³

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

Information about protection against explosions and fires:

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Please refer to the product specification and/or Certificate of Analysis for product storage requirements.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

At th	is time, the other constituents have no known exposure limits.
Prop	orietary FEMA/GRAS flavoring ingredient
PEL	Long-term value: 22 mg/m³, 5 ppm Skin
REL	Long-term value: 10 mg/m³, 2.3 ppm
TLV	Long-term value: 20* mg/m³ Skin;*as inhalable fraction and vapor, A4
Prop	prietary FEMA/GRAS Flavoring Ingredient
PEL	Long-term value: 20 mg/m³, 5 ppm Skin
TLV	Long-term value: 0.2 ppm Skin; BEI, A3
	(Continued on page 6)

(Continued on page 6)



Printing date 07/15/2024 Reviewed on 07/15/2024

Trade name: Grillwood Extract OS Natural

(Continuation of page 5)

Proprietary FEMA/GRAS flavoring ingredient

PEL Long-term value: 19 mg/m³, 5 ppm

Skin

REL Long-term value: 19 mg/m³, 5 ppm

Ceiling limit value: 60* mg/m³, 15.6* ppm

*15-min; Skin

TLV Long-term value: 5 ppm

Skin; BEI, A4

· Ingredients with biological limit values:

Proprietary FEMA/GRAS Flavoring Ingredient

BEI 200 mg/L

Medium: urine Time: end of shift

Parameter: Furoic acid with hydrolysis (nonspecific)

Proprietary FEMA/GRAS flavoring ingredient

BEI 250 mg/g creatinine

Medium: urine Time: end of shift

Parameter: Phenol with hydrolysis (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as a basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Continued on page 7)



Printing date 07/15/2024 Reviewed on 07/15/2024

Trade name: Grillwood Extract OS Natural

· Penetration time of glove material

(Continuation of page 6)

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Liquid

Color: According to product specification
Odor: According to product specification

Odor threshold: Not determined.

· **pH-value:** Not determined.

· Change in condition

Melting point/Melting range: Undetermined.
Boiling point/Boiling range: Undetermined.

• Flash point: 98 °C (208.4 °F)
• Flammability (solid, gaseous): Not applicable.

Decomposition temperature: Not determined.

· **Ignition temperature:** Product is not selfigniting.

• **Danger of explosion:** Product does not present an explosion hazard.

· Explosion limits:

Lower:Not determined.Upper:Not determined.

· Vapor pressure: Not determined.

• **Density at 20 °C (68 °F):** 0.95-1 g/cm³ (7.92775-8.345 lbs/gal)

• Specific Gravity 0.950 – 1.000 @ 20 °C (33.7 – 33.8 @ 68 °F)

Relative density
 Vapor density
 Evaporation rate
 Not determined.
 Not determined.

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

(Continued on page 8)



Printing date 07/15/2024 Reviewed on 07/15/2024

Trade name: Grillwood Extract OS Natural

		(Continuation of page 7)
Solvent content: Organic solvents: VOC content:	0.8 % 0.82 % 7.8-8.2 g/l / 0.07 lb/gal	0
Solids content:	0.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50	· LD/LC50 values that are relevant for classification:			
ATE (Acu	ATE (Acute Toxicity Estimate)			
Oral	LD50	3,796 mg/kg		
Dermal	LD50	6,967 mg/kg		
Inhalative	LC50/4 h	210 mg/l (ATE)		
D		DAO flavorino i como di cont		

Proprieta	Proprietary FEMA/GRAS flavoring ingredient			
Oral	LD50	207 mg/kg (ATE)		
		207 mg/kg (rat)		
Dermal	LD50	300 mg/kg (ATE)		
		301 mg/kg (rabbit)		

- Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

Carcinogenic categories

IARC (International Agency for Research on Cancer)	
Proprietary FEMA/GRAS Flavoring Ingredient	3
Proprietary FEMA/GRAS flavoring ingredient	3

(Continued on page 9)



Printing date 07/15/2024 Reviewed on 07/15/2024

Trade name: Grillwood Extract OS Natural

	(Continuation of page 8)
Proprietary FEMA/GRAS flavoring ingredient	3
Proprietary FEMA/GRAS flavoring ingredient	2B
Proprietary FEMA/GRAS flavoring ingredient	3
· NTP (National Toxicology Program)	
None of the ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administration)	,
None of the ingredients is listed.	

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information		
· UN-Number · DOT, IMDG, IATA	Not Regulated	
· UN proper shipping name · DOT, IMDG, IATA	Not Regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA		
· Class	Not Regulated	
		(Continued on page 1



Printing date 07/15/2024 Reviewed on 07/15/2024

Trade name: Grillwood Extract OS Natural

	(Continuation of page 9)
· Packing group · DOT, IMDG, IATA	Not Regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Not Regulated

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara
- · Section 355 (extremely hazardous substances): Proprietary FEMA/GRAS flavoring ingredient
 - Section 313 (Specific toxic chemical listings): Proprietary FEMA/GRAS flavoring ingredient Proprietary FEMA/GRAS flavoring ingredient

Proprietary FEMA	/GRAS flavoring ingredient	
TSCA (Toxic Sub	ostances Control Act):	
CAS: 65381-09-1	Caprylic/Capric triglyceride	ACTIVE
	Proprietary FEMA/GRAS flavoring ingredient	ACTIVE
	Proprietary FEMA/GRAS flavoring ingredient	ACTIVE
	Proprietary FEMA/GRAS flavoring ingredient	ACTIVE
	Proprietary FEMA/GRAS Flavoring Ingredient	ACTIVE
	Proprietary FEMA/GRAS Flavoring Ingredient	ACTIVE
	Proprietary FEMA/GRAS flavoring ingredient	ACTIVE
	Proprietary FEMA/GRAS flavoring ingredient	ACTIVE
	Proprietary FEMA/GRAS flavoring ingredient	ACTIVE
/	Proprietary FEMA/GRAS flavoring ingredient	ACTIVE
4	Proprietary FEMA/GRAS flavoring ingredient	ACTIVE
	Proprietary FEMA/GRAS flavoring ingredient	ACTIVE
A 4	Proprietary FEMA/GRAS Flavoring Ingredient	ACTIVE
	Proprietary FEMA/GRAS Flavoring Ingredient	ACTIVE
	Proprietary FEMA/GRAS flavoring ingredient	ACTIVE
	Proprietary FEMA/GRAS Flavoring Ingredient	ACTIVE
	Proprietary FEMA/GRAS Flavoring Ingredient	ACTIVE
	Proprietary FEMA/GRAS flavoring ingredient	ACTIVE
	Proprietary FEMA/GRAS flavoring ingredient	ACTIVE
	Proprietary FEMA/GRAS flavoring ingredient	ACTIVE
	Proprietary FEMA/GRAS flavoring ingredient	ACTIVE
-	(Cont	tinued on page 1

(Continued on page 11)



Printing date 07/15/2024 Reviewed on 07/15/2024

Trade name: Grillwood Extract OS Natural

	(Continuation of page 10)
Proprietary FEMA/GRAS flavoring ingredient	ACTIVE

· Hazardous Air Pollutants

Proprietary FEMA/GRAS flavoring ingredient

Proprietary FEMA/GRAS flavoring ingredient

Proprietary FEMA/GRAS flavoring ingredient

· Proposition 65

· Chemicals known to cause cancer:

Proprietary FEMA/GRAS flavoring ingredient

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

Proprietary FEMA/GRAS flavoring ingredient

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

EPA (Environmental Protection Agency)	
Proprietary FEMA/GRAS flavoring ingredient	С
Proprietary FEMA/GRAS flavoring ingredient	D, I
Proprietary FEMA/GRAS flavoring ingredient	I

TLV (Threshold Limit Value) Proprietary FEMA/GRAS Flavoring Ingredient А3 Proprietary FEMA/GRAS flavoring ingredient A4 Proprietary FEMA/GRAS flavoring ingredient A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms







GHS05 GHS07 GHS08

(Continuation of page 11)



Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Printing date 07/15/2024 Reviewed on 07/15/2024

Trade name: Grillwood Extract OS Natural

· Signal word Danger

· Hazard-determining components of labeling:

Proprietary FEMA/GRAS flavoring ingredient

· Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor. Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapor.

H226 Flammable liquid and vapor.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H331 Toxic if inhaled.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

· Department issuing SDS: Product Safety Department

Contact:

Product Safety Department productsafety@adv-bio.com

Date of preparation / last revision 07/15/2024 / -

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

(Continued on page 13)



Printing date 07/15/2024 Reviewed on 07/15/2024

Trade name: Grillwood Extract OS Natural

(Continuation of page 12)

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flammable Liquids 2: Flammable liquids – Category 2 Flammable Liquids 3: Flammable liquids – Category 3

Acute Toxicity - Oral 3: Acute toxicity - Category 3

Acute Toxicity - Oral 4: Acute toxicity - Category 4

Acute Toxicity - Inhalation 2: Acute toxicity - Category 2 Skin Corrosion 1B: Skin corrosion/irritation - Category 1B Skin Irritation 2: Skin corrosion/irritation - Category 2

Eye Damage 1: Serious eye damage/eye irritation – Category 1 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

Sensitization - Skin 1: Skin sensitisation - Category 1

Sensitization - Skin 1B: Skin sensitisation - Category 1B Germ Cell Mutagenicity 2: Germ cell mutagenicity - Category 2

Carcinogenicity 2: Carcinogenicity - Category 2

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3
Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) - Category 2