


Printing date 16.01.2024

# Safety data sheet according to 1907/2006/EC, Article 31

Version number 1

Revision: 10.01.2023



Version number 1

Revision: 10.01.2023

## Trade name: Grain Fusel Oil S Type natural

	(Contd. of page 1)
<ul> <li>Hazard s</li> </ul>	tatements
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H335-H33	36 May cause respiratory irritation. May cause drowsiness or dizziness.
· Precautio	onary statements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P303+P3	61+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P3	51+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P330	Rinse mouth.
P362+P3	54 Take off contaminated clothing and wash it before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· 2.3 Other	hazards
	of PBT and vPvB assessment
	applicable.
· vPvB: No	t applicable.

# SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components: Void

• Additional information: For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

# · 4.1 Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 3)

GP



Printing date 16.01.2024





Printing date 16.01.2024

Version number 1

Revision: 10.01.2023

## Trade name: Grain Fusel Oil S Type natural

(Contd. of page 2)

# SECTION 5: Firefighting measures

- <sup>·</sup> 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

## SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

• **6.4 Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# SECTION 7: Handling and storage

- 7.1 Precautions for safe handling
   Ensure good ventilation/exhaustion at the workplace.
   Prevent formation of aerosols.
   Information about fire and explosion protection:
   Keep ignition sources away Do not smoke.
   Protect against electrostatic charges.
  - 7.2 Conditions for safe storage, including any incompatibilities
  - · Storage:
  - **Requirements to be met by storerooms and receptacles:** No special requirements.

Please refer to the product specification and/or Certificate of Analysis for product storage requirements.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)



Printing date 16.01.2024

Version number 1

Revision: 10.01.2023

#### Trade name: Grain Fusel Oil S Type natural

(Contd. of page 3)

## SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as a basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes.

- Avoid contact with the eyes and skin.
- · Respiratory protection:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- · Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

# **SECTION 9: Physical and chemical properties**

- 9.1 Information on basic physical and chemical properties
- · General Information
- Physical state
- · Colour:

Fluid According to product specification

(Contd. on page 5)

GB



Printing date 16.01.2024

Version number 1

Revision: 10.01.2023

## Trade name: Grain Fusel Oil S Type natural

	(Contd. of page
Odour:	According to product specification
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boil	-
range	Undetermined.
Flammability	Flammable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	42 °C
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Slightly soluble.
Partition coefficient n-octanol/water (log val	
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	0.822 g/cm³
Relative density	Not determined.
Refractive Index	
Vapour density	Not determined.
Appearance: Form: Important information on protection of hea	Liquid alth
and environment, and on safety.	Desident is maked if with a
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation
Solvent contents	explosive air/vapour mixtures are possible.
Solvent content:	0.00.9/
VOC (EC)	0.00 %
Change in condition	Not determined
Evaporation rate	Not determined.
nformation with regard to physical haz classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Flammable liquid and vapour.
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void



Printing date 16.01.2024

Version number 1

Revision: 10.01.2023

## Trade name: Grain Fusel Oil S Type natural

		(Contd. of page 5)
<ul> <li>Self-heating substances and mixtures</li> <li>Substances and mixtures, which emit</li> </ul>	Void	
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

## SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

## 10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Harmful if swallowed.
- · Skin corrosion/irritation Causes skin irritation.
- Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure May cause respiratory irritation. May cause drowsiness or dizziness.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards

#### · Endocrine disrupting properties

None of the ingredients is listed.

# SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 7)





Printing date 16.01.2024

#### Version number 1

Revision: 10.01.2023

#### Trade name: Grain Fusel Oil S Type natural

(Contd. of page 6)

# 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

## · Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

## SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

#### · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	tion	
<ul> <li>14.1 UN number or ID number</li> <li>ADR, IMDG, IATA</li> </ul>	UN1201	
<ul> <li>· 14.2 UN proper shipping name</li> <li>· ADR</li> <li>· IMDG, IATA</li> </ul>	1201 FUSEL OIL FUSEL OIL	
<ul> <li>14.3 Transport hazard class(es)</li> <li>ADR, IMDG, IATA</li> </ul>		
Class Label	3 Flammable liquids. 3	
<ul> <li>14.4 Packing group</li> <li>ADR, IMDG, IATA</li> </ul>	111	
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No	
<ul> <li>14.6 Special precautions for user</li> <li>Stowage Category</li> </ul>	Warning: Flammable liquids. A	
<ul> <li>14.7 Maritime transport in bulk accordi IMO instruments</li> </ul>	i <b>ng to</b> Not applicable.	
		(Contd. on page 8



Printing date 16.01.2024

Version number 1

Revision: 10.01.2023

## Trade name: Grain Fusel Oil S Type natural

	(Contd. of page 7)
· Transport/Additional information:	
· ADR	
<ul> <li>Limited quantities (LQ)</li> </ul>	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· IMDG	
<ul> <li>Limited quantities (LQ)</li> </ul>	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1201 FUSEL OIL, 3, III

## **SECTION 15: Regulatory information**

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 Beisons Act

· Poisons Act

#### Regulated explosives precursors

None of the ingredients is listed.

## · Regulated poisons

None of the ingredients is listed.

• Reportable explosives precursors

None of the ingredients is listed.

#### · Reportable poisons

None of the ingredients is listed.

#### · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



#### · Signal word Danger

## · Hazard statements

H226 Flammable liquid and vapour.

- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.

H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

#### Precautionary statements P210 Keep aw

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

(Contd. on page 9)

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.01.2024

Version number 1

Revision: 10.01.2023

## Trade name: Grain Fusel Oil S Type natural

(Contd. of page 8) P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P321 Specific treatment (see on this label). P330 Rinse mouth. P362+P364 Take off contaminated clothing and wash it before reuse. P405 Store locked up. Dispose of contents/container in accordance with local/regional/national/international P501 regulations. · Directive 2012/18/EU · Named dangerous substances - ANNEX I None of the ingredients is listed. Seveso category P5c FLAMMABLE LIQUIDS • Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II None of the ingredients is listed. · REGULATION (EU) 2019/1148 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3)) None of the ingredients is listed. Annex II - REPORTABLE EXPLOSIVES PRECURSORS None of the ingredients is listed. Regulation (EC) No 273/2004 on drug precursors None of the ingredients is listed.  $\cdot$  Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors None of the ingredients is listed. • 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- **Contact:** Product Safety Department
- productsafety@adv-bio.com
- Date of previous version: 12.01.2021
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 10)



Printing date 16.01.2024

Version number 1

Revision: 10.01.2023

## Trade name: Grain Fusel Oil S Type natural

PB1 vPv Flar Acu Skir Eye	C: Volatile Organic Compounds (USA, EU) C: Persistent, Bioaccumulative and Toxic B: very Persistent and very Bioaccumulative n. Liq. 3: Flammable liquids – Category 3 te Tox. 4: Acute toxicity – Category 4 I nrit. 2: Skin corrosion/irritation – Category 2 Dam. 1: Serious eye damage/eye irritation – Category 1 DT SE 3: Specific target organ toxicity (single exposure) – Category 3	(Contd. of page 9)
		CP

Ø