

Safety Data Sheet

acc. to OSHA HCS (29 CFR § 1910.1200)

Printing date 09/07/2020

Reviewed on 08/13/2020

1 Identification

- **Product identifier**
- **Trade name: Rum Ether (R Type) natural**
- **Product number: 1647**
- **Application of the substance / the mixture** Flavoring Ingredients
- **Details of the supplier of the safety data sheet**
 DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Advanced Biotech makes NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Advanced Biotech product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Advanced Biotech product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Advanced Biotech product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.
- **Manufacturer/Supplier:**
 Advanced Biotech
 10 Taft Road
 Totowa, NJ 07512 USA
- **Information department:**
 Product Safety Department
 productsafety@adv-bio.com
- **Emergency telephone number:**
 Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International)
 Email: responders@infotrac.net & During normal business hours: 1-973-339-6242

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.



GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- **GHS label elements**

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Continued on page 2)

Safety Data Sheet
acc. to OSHA HCS (29 CFR § 1910.1200)

Printing date 09/07/2020

Reviewed on 08/13/2020

Trade name: Rum Ether (R Type) natural

(Continuation of page 1)

· **Hazard pictograms**



GHS02 GHS07 GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**

Ethyl Acetate

· **Hazard statements**

H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H336 May cause drowsiness or dizziness.

· **Precautionary statements**

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 2

Fire = 3

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



Health = *2

Fire = 3

Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 64-17-5	Ethyl alcohol	25-35%
EINECS: 200-578-6	⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2A, H319	

(Continued on page 3)

Safety Data Sheet
acc. to OSHA HCS (29 CFR § 1910.1200)

Printing date 09/07/2020

Reviewed on 08/13/2020

Trade name: Rum Ether (R Type) natural

(Continuation of page 2)

CAS: 141-78-6 EINECS: 205-500-4	Ethyl acetate Flam. Liq. 2, H225; Eye Irrit. 2A, H319; STOT SE 3, H336	30-33%
CAS: 105-37-3 EINECS: 203-291-4	Ethyl propionate Flam. Liq. 2, H225; Skin Irrit. 2, H315; STOT SE 3, H335	1-2%
CAS: 75-07-0 EINECS: 200-836-8	Acetaldehyde Flam. Liq. 1, H224; Muta. 2, H341; Carc. 1B, H350; Acute Tox. 4, H302; Eye Irrit. 2A, H319; STOT SE 3, H335	0.25-0.35%

4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately rinse with water.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.
- **Additional information**
Cool endangered receptacles with water spray.
Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

(Continued on page 4)

Safety Data Sheet
 acc. to OSHA HCS (29 CFR § 1910.1200)

Printing date 09/07/2020

Reviewed on 08/13/2020

Trade name: Rum Ether (R Type) natural

(Continuation of page 3)

· **Protective Action Criteria for Chemicals**

· **PAC-1:**

CAS: 64-17-5	Ethyl alcohol	1,800 ppm
CAS: 141-78-6	Ethyl acetate	1,200 ppm
CAS: 105-37-3	Ethyl propionate	6.3 ppm
CAS: 75-07-0	Acetaldehyde	45 ppm
CAS: 98-01-1	2-Furaldehyde	2 ppm

· **PAC-2:**

CAS: 64-17-5	Ethyl alcohol	3300* ppm
CAS: 141-78-6	Ethyl acetate	1,700 ppm
CAS: 105-37-3	Ethyl propionate	69 ppm
CAS: 75-07-0	Acetaldehyde	270 ppm
CAS: 98-01-1	2-Furaldehyde	10 ppm

· **PAC-3:**

CAS: 64-17-5	Ethyl alcohol	15000* ppm
CAS: 141-78-6	Ethyl acetate	10000** ppm
CAS: 105-37-3	Ethyl propionate	410 ppm
CAS: 75-07-0	Acetaldehyde	840 ppm
CAS: 98-01-1	2-Furaldehyde	100 ppm

7 Handling and storage

· **Handling:**

· **Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.
 Open and handle receptacle with care.
 Prevent formation of aerosols.

· **Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
 Keep respiratory protective device available.

· **Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:** Store in a cool location.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:**

Keep receptacle tightly sealed.
 Store in cool, dry conditions in well sealed receptacles.

· **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

(Continued on page 5)

Safety Data Sheet
 acc. to OSHA HCS (29 CFR § 1910.1200)

Printing date 09/07/2020

Reviewed on 08/13/2020

Trade name: Rum Ether (R Type) natural

(Continuation of page 4)

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS: 64-17-5 Ethyl alcohol	
PEL	Long-term value: 1900 mg/m ³ , 1000 ppm
REL	Long-term value: 1900 mg/m ³ , 1000 ppm
TLV	Short-term value: 1880 mg/m ³ , 1000 ppm
CAS: 141-78-6 Ethyl acetate	
PEL	Long-term value: 1400 mg/m ³ , 400 ppm
REL	Long-term value: 1400 mg/m ³ , 400 ppm
TLV	Long-term value: 1440 mg/m ³ , 400 ppm
CAS: 75-07-0 Acetaldehyde	
PEL	Long-term value: 360 mg/m ³ , 200 ppm
REL	See Pocket Guide Apps. A and C
TLV	Ceiling limit value: 45 mg/m ³ , 25 ppm

· **Additional information:** The lists that were valid during the creation were used as a basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

(Continued on page 6)

Safety Data Sheet
 acc. to OSHA HCS (29 CFR § 1910.1200)

Printing date 09/07/2020

Reviewed on 08/13/2020

Trade name: Rum Ether (R Type) natural

(Continuation of page 5)

· **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· **Form:** Liquid
 · **Color:** According to product specification

· **Odor:** According to product specification

· **Odor threshold:** Not determined.

· **pH-value:** Not determined.

· **Change in condition**

· **Melting point/Melting range:** Undetermined.

· **Boiling point/Boiling range:** Undetermined.

· **Flash point:** 19.6 °C (67.3 °F)

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** 425 °C (797 °F)

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

· **Explosion limits:**

· **Lower:** 3.5 Vol %

· **Upper:** 15 Vol %

· **Vapor pressure at 20 °C (68 °F):** 59 hPa (44.3 mm Hg)

· **Density at 20 °C (68 °F):** 0.915 g/cm³ (7.63568 lbs/gal)

· **Relative density** Not determined.

· **Vapor density** Not determined.

· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with**

· **Water:** Fully miscible.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

· **Dynamic:** Not determined.

· **Kinematic:** Not determined.

· **Solvent content:**

· **Organic solvents:** 55-67.9 %

(Continued on page 7)

Safety Data Sheet
 acc. to OSHA HCS (29 CFR § 1910.1200)

Printing date 09/07/2020

Reviewed on 08/13/2020

Trade name: Rum Ether (R Type) natural

(Continuation of page 6)

Water:	30-35 %
VOC content:	54.95-67.94 % 621.7 g/l / 5.19 lb/gal
Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

ATE (Acute Toxicity Estimate)

Oral	LD50	315,309 mg/kg (rabbit)
Inhalative	LC50/4 h	5,185 mg/l (rat)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

CAS: 64-17-5	Ethyl alcohol	1
CAS: 75-07-0	Acetaldehyde	2B
CAS: 98-01-1	2-Furaldehyde	3

· **NTP (National Toxicology Program)**

CAS: 75-07-0	Acetaldehyde	R
--------------	--------------	---

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.

(Continued on page 8)

Safety Data Sheet
 acc. to OSHA HCS (29 CFR § 1910.1200)

Printing date 09/07/2020

Reviewed on 08/13/2020

Trade name: Rum Ether (R Type) natural

(Continuation of page 7)

- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
 Water hazard class 1 (Self-assessment): slightly hazardous for water
 Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
 Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- | | |
|-------------------------------------|--|
| · UN-Number | |
| · DOT, ADR, IMDG, IATA | UN1170 |
| · UN proper shipping name | Ethanol solutions |
| · DOT | 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) |
| · ADR | ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) |
| · IMDG | ETHANOL SOLUTION |
| · IATA | ETHANOL SOLUTION |
| · Transport hazard class(es) | |
| · DOT | |
| · Class | 3 Flammable liquids |



(Continued on page 9)



Safety Data Sheet
acc. to OSHA HCS (29 CFR § 1910.1200)

Printing date 09/07/2020

Reviewed on 08/13/2020

Trade name: Rum Ether (R Type) natural

(Continuation of page 8)

· Label	3
· ADR	
	
· Class	3 (F1) Flammable liquids
· Label	3
· IMDG, IATA	
	
· Class	3 Flammable liquids
· Label	3
· Packing group	
· DOT, ADR, IMDG, IATA	III
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Flammable liquids
· Hazard identification number (Kemler code):	30
· EMS Number:	F-E,S-D
· Stowage Category	A
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
· ADR	
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III

US

(Continued on page 10)

Safety Data Sheet
acc. to OSHA HCS (29 CFR § 1910.1200)

Printing date 09/07/2020

Reviewed on 08/13/2020

Trade name: Rum Ether (R Type) natural

(Continuation of page 9)

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

CAS: 75-07-0 | Acetaldehyde

· **TSCA (Toxic Substances Control Act):**

All components have the value ACTIVE.

· **Hazardous Air Pollutants**

CAS: 75-07-0 | Acetaldehyde

· **Proposition 65**

· **Chemicals known to cause cancer:**

CAS: 75-07-0 | Acetaldehyde

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

CAS: 64-17-5 | Ethyl alcohol

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

CAS: 75-07-0 | Acetaldehyde

B2

· **TLV (Threshold Limit Value established by ACGIH)**

CAS: 64-17-5 | Ethyl alcohol

A3

CAS: 75-07-0 | Acetaldehyde

A3

CAS: 98-01-1 | 2-Furaldehyde

A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

CAS: 75-07-0 | Acetaldehyde

· **GHS label elements**

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible.
The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS02 GHS07 GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**

Ethyl Acetate

(Continued on page 11)

Safety Data Sheet
 acc. to OSHA HCS (29 CFR § 1910.1200)

Printing date 09/07/2020

Reviewed on 08/13/2020

Trade name: Rum Ether (R Type) natural

(Continuation of page 10)

· **Hazard statements**

- H225 Highly flammable liquid and vapor.
- H319 Causes serious eye irritation.
- H351 Suspected of causing cancer.
- H336 May cause drowsiness or dizziness.

· **Precautionary statements**

- P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
- P241 Use explosion-proof electrical/ventilating/lighting/equipment.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

- H224 Extremely flammable liquid and vapor.
- H225 Highly flammable liquid and vapor.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H341 Suspected of causing genetic defects.
- H350 May cause cancer.

· **Department issuing SDS:** Product Safety Department

· **Contact:**

Product Safety Department
 productsafety@adv-bio.com

· **Date of preparation / last revision** 09/07/2020 / -

· **Abbreviations and acronyms:**

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value

(Continued on page 12)



Safety Data Sheet

acc. to OSHA HCS (29 CFR § 1910.1200)

Printing date 09/07/2020

Reviewed on 08/13/2020

Trade name: Rum Ether (R Type) natural

(Continuation of page 11)

PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Flam. Liq. 1: Flammable liquids – Category 1
Flam. Liq. 2: Flammable liquids – Category 2
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
Muta. 2: Germ cell mutagenicity – Category 2
Carc. 1B: Carcinogenicity – Category 1B
Carc. 2: Carcinogenicity – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

US

