

Date of issue: 01/24/2025

Reviewed on 01/24/2025

1 Identification

· Product identifier


- Trade name: Smoke Flavor SMK392 Natural
- · Other means of identification
- Product number: 1771
- · Application of the substance / the mixture Flavoring Ingredients

· Details of the supplier of the safety data sheet

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Advanced Biotech makes NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Advanced Biotech product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Advanced Biotech product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Advanced Biotech product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

- Manufacturer/Supplier: Advanced Biotech 10 Taft Road Totowa, NJ 07512 USA
- Information department:
 Product Safety Department
 productsafety@adv-bio.com
- Emergency telephone number: Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International) Email: responders@infotrac.net & During normal business hours: 1-973-339-6242

2 Hazard(s) identification





Date of issue: 01/24/2025

Reviewed on 01/24/2025





Date of issue: 01/24/2025

Trade name: Smoke Flavor SMK392 Natural

(Continuation of page 2)

• **Hazards not otherwise classified** There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous compoi		
CAS: 91-10-1 EINECS: 202-041-1	 2,6-Dimethoxyphenol Acute toxicity - oral 4, H302; Skin irritation 2, H315; Eye irritation 2A, H319; Specific target organ toxicity (single exposure) 3, H335 	≥2.5-<10%
CAS: 6638-05-7 EINECS: 229-641-6	4-Methyl-2,6-Dimethoxyphenol Acute toxicity - oral 4, H302; Skin irritation 2, H315; Eye irritation 2A, H319; Specific target organ toxicity (single exposure) 3, H335	≥2.5-<10%
CAS: 64-19-7 EINECS: 200-580-7	Acetic acid Flammable liquids 3, H226; Acute toxicity - dermal 4, H312	≥2.5-<10%
CAS: 80-71-7 EINECS: 201-303-2	Methylcyclopentenolone Acute toxicity - oral 4, H302; Sensitization - skin 1, H317	2.5-10%
CAS: 116-09-6 EINECS: 204-124-8	hydroxyacetone Flammable liquids 3, H226; I Acute toxicity - dermal 3, H311; Acute toxicity - inhalation 4, H332	≤2.5%
CAS: 93-51-6 EINECS: 202-252-9	 2-Methoxy-4-methylphenol Acute toxicity - oral 4, H302; Skin irritation 2, H315; Eye irritation 2A, H319; Sensitization - skin 1, H317 	≥0.1-<1%
CAS: 108-68-9 EINECS: 203-606-5	3,5-xylenol Acute toxicity - oral 3, H301; Acute toxicity - dermal 3, H311; Skin corrosion 1B, H314	<1%
CAS: 106-44-5 EINECS: 203-398-6	p-Cresol Acute toxicity - oral 3, H301; Acute toxicity - dermal 3, H311	≤2.5%
CAS: 108-95-2 EINECS: 203-632-7	Phenol Acute toxicity - oral 3, H301; Acute toxicity - dermal 3, H311	<1%
CAS: 79-09-4 EINECS: 201-176-3	Propanoic acid Flammable liquids 3, H226; ⊗ Acute toxicity - dermal 3, H311	≤2.5%
CAS: 67-56-1 EINECS: 200-659-6	toxicity - dermal 3, H311; Acute toxicity - inhalation 3, H331; Specific target organ toxicity (single exposure) 1, H370	≤2.5%
CAS: 608-25-3 EINECS: 210-155-8	2-methylresorcinol Acute toxicity - oral 3, H301; (repeated exposure) 2, H373	≤2.5%
CAS: 95-48-7 EINECS: 202-423-8	o-Cresol Acute toxicity - oral 3, H301; Acute toxicity - dermal 3, H311; Flammable liquids 4, H227	≤2.5%
	α-Furfuraldehyde ♦ Flammable liquids 3, H226; ♦ Acute toxicity - oral 3, H301; Acute toxicity - inhalation 2, H330; ↑ Acute toxicity - dermal 4, H312	≤2.5%

(Continued on page 4)



Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Smoke Flavor SMK392 Natural

(Continuation of page 3)

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.

· After inhalation:

Supply fresh air and be sure to call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:

CO2, powder or alcoholresistant foam.

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

- Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation.
- Protective Action Criteria for Chemicals

· PAC-1:		
CAS: 64-19-7	Acetic acid	5 ppm
CAS: 116-09-6	hydroxyacetone	6.0 mg/m3
CAS: 108-95-2	Phenol	15 ppm
CAS: 79-09-4	Propanoic acid	15 ppm
CAS: 67-56-1	Methanol	530 ppm
CAS: 107-92-6	Butyric acid	1.4 ppm
		(Continued on page 5)



Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Smoke Flavor SMK392 Natural

	α-Furfuraldehyde	2 ppm
PAC-2:		
CAS: 64-19-7	Acetic acid	35 ppm
CAS: 116-09-6	hydroxyacetone	66 mg/m3
CAS: 108-95-2	Phenol	23 ppm
CAS: 79-09-4	Propanoic acid	86 mg/m3
CAS: 67-56-1	Methanol	2,100 ppm
CAS: 107-92-6	Butyric acid	66 mg/m3
	α-Furfuraldehyde	10 ppm
PAC-3:		
CAS: 64-19-7	Acetic acid	250 ppm
CAS: 116-09-6	hydroxyacetone	400 mg/m3
CAS: 108-95-2	Phenol	200 ppm
CAS: 79-09-4	Propanoic acid	510 mg/m3
CAS: 67-56-1	Methanol	7200* ppm
CAS: 107-92-6	Butyric acid	400 mg/m3
	α-Furfuraldehyde	100 ppm

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Precautions for safe handling
 Ensure good ventilation/exhaustion at the workplace.
 Open and handle receptacle with care.
 Prevent formation of aerosols.

• Information about protection against explosions and fires: Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:

· Requirements to be met by storerooms and receptacles:

Please refer to the product specification and/or Certificate of Analysis for product storage requirements. Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep receptacle tightly sealed.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

(Continued on page 6)

— us



Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Date of issue: 01/24/2025

Reviewed on 01/24/2025

		(Continuation of page 5
CAS	5: 64-19-7 Acetic acid	
PEL	Long-term value: 25 mg/m³, 10 ppm	
REL	Short-term value: 37 mg/m³, 15 ppm	
	Long-term value: 25 mg/m³, 10 ppm	
TLV	Short-term value: 15 ppm	()
	Long-term value: 10 ppm	
	: 108-68-9 3,5-xylenol	
TLV	Long-term value: 1* ppm	
~ ^ ~	*inh. fraction+vapor; DSEN, A3	
	: 106-44-5 p-Cresol	
PEL	Long-term value: 22 mg/m³, 5 ppm Skin	
REI	Long-term value: 10 mg/m³, 2.3 ppm	
	Long-term value: 20* mg/m ³	
ι∟v	Skin;*as inhalable fraction and vapor, A4	
CAS	: 108-95-2 Phenol	7
PEL	Long-term value: 19 mg/m³, 5 ppm	/
	Skin	
REL	Long-term value: 19 mg/m³, 5 ppm	
	Ceiling limit value: 60* mg/m³, 15.6* ppm *15-min; Skin	
TLV	Long-term value: 5 ppm Skin; BEI, A4	
CAS	: 79-09-4 Propanoic acid	
REL	Short-term value: 45 mg/m³, 15 ppm	
	Long-term value: 30 mg/m³, 10 ppm	
	Long-term value: 10 ppm	
-	67-56-1 Methanol	
	Long-term value: 260 mg/m³, 200 ppm	
REL	Short-term value: 325 mg/m³, 250 ppm	
	Long-term value: 260 mg/m³, 200 ppm Skin	
тι γ	Short-term value: 250 ppm	
	Long-term value: 200 ppm	
	Skin; BEIc	
CAS	: 95-48-7 o-Cresol	
PEL	Long-term value: 22 mg/m³, 5 ppm Skin	
REL	Long-term value: 10 mg/m³, 2.3 ppm	
	Long-term value: 20* mg/m³	
	Skin;*as inhalable fraction and vapor, A4	
α-Γι	urfuraldehyde	
PEL	Long-term value: 20 mg/m³, 5 ppm	
	Skin	
TLV	Long-term value: 0.2 ppm	
	Skin; BEI, A3	(Continued on page 7



Date of issue: 01/24/2025

Inar	(Continuation of page
ingre	dients with biological limit values:
-	108-95-2 Phenol
	250 mg/g creatinine Medium: urine Time: end of shift Parameter: Phenol with hydrolysis (background, nonspecific)
CAS	67-56-1 Methanol
	15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific)
α-Fu	rfuraldehyde
	200 mg/L Medium: urine Time: end of shift Parameter: Furoic acid with hydrolysis (nonspecific)
Addi	tional information: The lists that were valid during the creation were used as a basis.
Store Avoid Avoid Brea In ca expo	n hands before breaks and at the end of work. protective clothing separately. contact with the eyes. contact with the eyes and skin. thing equipment: se of brief exposure or low pollution use respiratory filter device. In case of intensive or long sure use respiratory protective device that is independent of circulating air. ection of hands:
	Protective gloves
Due prepa Sele diffus Mate The quali	glove material has to be impermeable and resistant to the product/ the substance/ the preparation to missing tests no recommendation to the glove material can be given for the product/ t aration/ the chemical mixture. ction of the glove material should be based on consideration of the penetration times, rates ion and the degradation rial of gloves selection of the suitable gloves does not only depend on the material, but also on further marks ty and varies from manufacturer to manufacturer. As the product is a preparation of seve tances, the resistance of the glove material can not be calculated in advance and has therefore
be cł	ecked prior to the application. tration time of glove material



Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Smoke Flavor SMK392 Natural

(Continuation of page 7) · Eye protection: Tightly sealed goggles 9 Physical and chemical properties Information on basic physical and chemical properties General Information · Physical state Liquid · Color: According to product specification · Odor: According to product specification · Odor threshold: Not determined. · Melting point/Melting range: Undetermined. · Boiling point/Boiling range: Undetermined. · Flammability: Not applicable. · Explosion limits: · Lower: 4 Vol % · Upper: 17 Vol % · Flash point: >110 °C (>230 °F) • Auto igniting: 410 °C (770 °F) · Decomposition temperature: Not determined. Not determined. · pH-value: · Viscosity: · Kinematic: Not determined. · Dynamic: Not determined. · Solubility in / Miscibility with Fully miscible. · Water: · Partition coefficient (n-octanol/water): Not determined. · Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) · Vapor pressure: · Density at 20 °C (68 °F): 1.2-1.23 g/cm³ (10.014-10.26435 lbs/gal) · Relative density Not determined. · Refractive Index · Vapor density Not determined. · Particle characteristics Not applicable. · Other information · Appearance: · Form: Liquid · Important information on protection of health and environment, and on safety. · Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Solvent content: Organic solvents: 5.3 % · Water: 23.6 % · VOC content: 5.33 % 64-65.6 g/l / 0.53-0.55 lb/gal

(Continued on page 9)

US



Date of issue: 01/24/2025

Reviewed on 01/24/2025

(Continuation of page 8)

Trade name: Smoke Flavor SMK392 Natural

- · Solids content:
- · Change in condition

54.2-68.2 %

· Evaporation rate

Not determined.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)				
Oral	LD50	3,091 mg/kg		
Dermal	LD50	6,379 mg/kg		

Inhalative LC50/4 h 91.2 mg/l

Primary irritant effect:

- · on the skin: No irritant effect.
- on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Interactive effects No interactive effects between components are known.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
CAS: 108-95-2 Phenol	3
α-Furfuraldehyde	3
· NTP (National Toxicology Program)	
None of the ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	
• Alternative sources for toxicological information No non-standard sources for toxicological information where used.	

(Continued on page 10)



Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Smoke Flavor SMK392 Natural

(Continuation of page 9)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, ADN, IMDG, IATA	Not Regulated
UN proper shipping name DOT, ADN, IMDG, IATA	Not Regulated
Transport hazard class(es)	
DOT, ADN, IMDG, IATA Class	Not Regulated
Packing group DOT, IMDG, IATA	Not Regulated
Environmental hazards:	Not applicable.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
Special precautions for user	Not applicable.



Date of issue: 01/24/2025

Reviewed on 01/24/2025

(Continuation of page 10)

Trade name: Smoke Flavor SMK392 Natural

· UN "Model Regulation":

Not Regulated

15 Regulatory information

Sara		
	remely hazardous substances):	
CAS: 108-95-2 I		
CAS: 95-48-7	o-Cresol	
Section 313 (Sp	ecific toxic chemical listings):	7
CAS: 106-44-5	o-Cresol	
CAS: 108-95-2	Phenol	
CAS: 67-56-1	/lethanol	
CAS: 95-48-7	o-Cresol	
TSCA (Toxic Su	bstances Control Act):	
CAS: 7732-18-5	Deionized Water	ACTIVE
CAS: 91-10-1	2,6-Dimethoxyphenol	ACTIVE
CAS: 64-19-7	Acetic acid	ACTIVE
CAS: 80-71-7	Methylcyclopentenolone	ACTIVE
CAS: 116-09-6	hydroxyacetone	ACTIVE
CAS: 90-05-1	Guaiacol	ACTIVE
CAS: 93-51-6	2-Methoxy-4-methylphenol	ACTIVE
CAS: 118-71-8	Maltol (3-Hydroxy-2-methyl-4-pyrone)	ACTIVE
CAS: 108-68-9	3,5-xylenol	ACTIVE
CAS: 123-76-2	Levulinic acid	ACTIVE
CAS: 21835-01-8	3-Ethyl-2-hydroxy-2-cyclopenten-1-one	ACTIVE
CAS: 106-44-5	p-Cresol	ACTIVE
CAS: 67-47-0	5-(hydroxymethyl)-2-furaldehyde	ACTIVE
CAS: 108-95-2	Phenol	ACTIVE
CAS: 2785-89-9	4-Ethyl Guaiacol	ACTIVE
CAS: 79-09-4	Propanoic acid	ACTIVE
CAS: 67-56-1	Methanol	ACTIVE
CAS: 608-25-3	2-methylresorcinol	ACTIVE
CAS: 498-02-2	4'-Hydroxy-3'-methoxyacetophenone	ACTIVE
CAS: 2758-18-1	3-methylcyclopent-2-enone	ACTIVE
CAS: 107-92-6	Butyric acid	ACTIVE
CAS: 95-48-7	o-Cresol	ACTIVE
	α-Furfuraldehyde	ACTIVE
Hazardous Air F	Pollutants	
CAS: 106-44-5	o-Cresol	
CAS: 108-95-2	Phenol	
CAS: 67-56-1	Methanol .	

_us_l

٦



Safety Data Sheet acc. to OSHA HCS (29 CFR § 1910.1200)

Date of issue: 01/24/2025

Reviewed on 01/24/2025

CAS: 95-48-7	o-Cresol (Continuation of page 1
Proposition 65	
•	own to cause cancer:
	predients is listed.
•	own to cause reproductive toxicity for females:
	predients is listed.
•	
	own to cause reproductive toxicity for males: gredients is listed.
•	
	own to cause developmental toxicity:
CAS: 67-56-1	Methanol
Carcinogenic	-
	mental Protection Agency)
CAS: 106-44-5	
CAS: 108-95-2	
CAS: 95-48-7	o-Cresol C
•	ld Limit Value)
CAS: 108-95-2	
	α-Furfuraldehyde A3
NIOSH-Ca (Na	tional Institute for Occupational Safety and Health)
GHS label eler	
GHS label eler Pictograms on symbol on a wh	ments label shall be in the shape of a square set at a point and shall include a black haza nite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS). rams
GHS label eler Pictograms on symbol on a wh The product is Hazard pictog	ments label shall be in the shape of a square set at a point and shall include a black haza nite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS). rams GOT GHS08
GHS label eler Pictograms on symbol on a wh The product is Hazard pictog GHS05 GHS Signal word D Hazard-detern Acetic acid Methylcyclopen a-Furfuraldehyd Hazard statem H315 Causes s H318 Causes s H317 May caus	ments label shall be in the shape of a square set at a point and shall include a black haza nite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS). rams \$607\$ GHS08 banger nining components of labeling: ntenolone de ments skin irritation. serious eye damage. se an allergic skin reaction.
GHS label eler Pictograms on symbol on a wh The product is Hazard pictog GHS05 GHS GHS05 GHS Signal word D Hazard-detern Acetic acid Methylcyclopen GA-Furfuraldehyd Hazard statem H315 Causes s H318 Causes s H317 May cause	ments label shall be in the shape of a square set at a point and shall include a black haza nite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS). rams
GHS label eler Pictograms on symbol on a wh The product is Hazard pictog GHS05 GHS GHS05 GHS Signal word D Hazard-determ Acetic acid Methylcyclopen ca-Furfuraldehyd Hazard statem H315 Causes s H318 Causes s H317 May caus H351 Suspecte Precautionary P261	ments label shall be in the shape of a square set at a point and shall include a black haza nite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS). rams V GHS08 ranger nining components of labeling: nitenolone de best skin irritation. serious eye damage. se an allergic skin reaction. ed of causing cancer. * statements Avoid breathing dust/fume/gas/mist/vapors/spray 338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses,
GHS label eler Pictograms on symbol on a wh The product is Hazard pictog GHS05 GHS GHS05 GHS Signal word D Hazard-determ Acetic acid Methylcyclopen ca-Furfuraldehyd Hazard statem H315 Causes s H318 Causes s H317 May caus H351 Suspecte Precautionary P261	ments label shall be in the shape of a square set at a point and shall include a black haza nite background with a red frame sufficiently wide to be clearly visible. classified and labeled according to the Globally Harmonized System (GHS). rams v v GHS08 banger nining components of labeling: nents skin irritation. serious eye damage. se an allergic skin reaction. ed of causing cancer. rstatements Avoid breathing dust/fume/gas/mist/vapors/spray



Date of issue: 01/24/2025

Reviewed on 01/24/2025

Trade name: Smoke Flavor SMK392 Natural

	(Continuation of page 12)
P321	Specific treatment (see on this label).
P362+P364	Take off contaminated clothing and wash it before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H225 Highly flammable liquid and vapor.
- H226 Flammable liquid and vapor.
- H227 Combustible liquid.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H370 Causes damage to organs.
- H373 May cause damage to organs through prolonged or repeated exposure.
- · Department issuing SDS: Product Safety Department
- · Contact: Product Safety Department

productsafety@adv-bio.com

- Date of previous version 01/16/2024
- Date of preparation 01/24/2025

· Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** (Continued on page 14)



Date of issue: 01/24/2025

Reviewed on 01/24/2025

	(Continuation of page 13)
BEI: Biological Exposure Limit	
Flammable liquids 2: Flammable liquids – Category 2	
Flammable liquids 3: Flammable liquids – Category 3	
Flammable liquids 4: Flammable liquids – Category 4	
Acute toxicity - oral 4: Acute toxicity – Category 4	
Acute toxicity - dermal 3: Acute toxicity – Category 3	
Acute toxicity - inhalation 2: Acute toxicity – Category 2	
Skin corrosion 1B: Skin corrosion/irritation – Category 1B	
Skin irritation 2: Skin corrosion/irritation – Category 2	
Eye damage 1: Serious eye damage/eye irritation – Category 1	
Eye irritation 2A: Serious eye damage/eye irritation – Category 2A	
Sensitization - skin 1: Skin sensitisation – Category 1	
Carcinogenicity 2: Carcinogenicity – Category 2	
Specific target organ toxicity (single exposure) 1: Specific target organ toxicity (sing	gle exposure) – Category 1
Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (sing	gle exposure) – Category 3
Specific target organ toxicity (repeated exposure) 2: Specific target organ toxicity (r	