

Printing date 01/17/2024

Reviewed on 01/17/2024

# 1 Identification

- · Product identifier
- <sup>•</sup> Trade name: Vanilla Extract 2X Bourbon Organic
- · Product number: 7001
- · CAS Number: 8024-06-4
- · EC number: 283-521-8
- · Application of the substance / the mixture Flavoring Ingredients
- · Details of the supplier of the safety data sheet

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Advanced Biotech makes NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Advanced Biotech product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Advanced Biotech product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Advanced Biotech product to determine whether it is fit for a particular purpose and suitable for user's method of use or user's method of use or application.

- Manufacturer/Supplier: Advanced Biotech 10 Taft Road Totowa, NJ 07512 USA
- · Information department:

Product Safety Department productsafety@adv-bio.com

• **Emergency telephone number:** Infotrac: 1-800-535-5053 (Domestic) & 1-352-323-3500 (International) Email: responders@infotrac.net & During normal business hours: 1-973-339-6242

# 2 Hazard(s) identification

· Classification of the substance or mixture

GHS02 Flame

Flammable Liquids 3 H226 Flammable liquid and vapor.



Eye Irritation 2A H319 Causes serious eye irritation.

**GHS** label elements

Pictograms on label shall be in the shape of a square set at a point and shall include a black hazard symbol on a white background with a red frame sufficiently wide to be clearly visible. The product is classified and labeled according to the Globally Harmonized System (GHS).

## Hazard pictograms



· Signal word Warning


(Continued on page 2)

<sup>-</sup> ÚS



Printing date 01/17/2024

Reviewed on 01/17/2024



## 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.

· After eye contact:

- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.

(Continued on page 3)



Printing date 01/17/2024

Reviewed on 01/17/2024

(Continuation of page 2)

#### Trade name: Vanilla Extract 2X Bourbon Organic

- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information
- Cool endangered receptacles with water spray.
- Collect contaminated fire fighting water separately. It must not enter the sewage system.

## 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Prevent seepage into sewage system, workpits and cellars. Dilute with plenty of water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.
   Protective Action Criteria for Chemicals
- · PAC-1:
- All components have the value 1,800 ppm.

· PAC-2:

All components have the value 3300\* ppm.

PAC-3:

All components have the value 15000\* ppm.

# 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke.

Protect against electrostatic charges.

(Continued on page 4)

US



Printing date 01/17/2024

#### Reviewed on 01/17/2024

#### Trade name: Vanilla Extract 2X Bourbon Organic

(Continuation of page 3)

- Conditions for safe storage, including any incompatibilities
   Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
  - Please refer to the product specification and/or Certificate of Analysis for product storage requirements.
  - Information about storage in one common storage facility: Not required.
  - Further information about storage conditions: Keep receptacle tightly sealed.
  - Specific end use(s) No further relevant information available.
- 8 Exposure controls/personal protection
- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

#### CAS: 64-17-5 Ethanol

- PEL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm
- REL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm
- TLV Short-term value: 1000 ppm
  - A3

· Additional information: The lists that were valid during the creation were used as a basis.

- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

- Avoid contact with the eyes and skin.
- Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be based on consideration of the penetration times, rates of diffusion and the degradation

## Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be determined by the manufacturer of the protective gloves and has to be observed.

(Continued on page 5)

US



Printing date 01/17/2024

· Eye protection:

Reviewed on 01/17/2024

## Trade name: Vanilla Extract 2X Bourbon Organic

(Continuation of page 4)

Tightly sealed goggles

Information on basic physical and General Information	chemical properties
Appearance: Form: Color: Odor: Odor threshold:	Liquid According to product specification According to product specification Not determined.
pH-value:	Not determined.
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. Undetermined.
Flash point:	24.5 °C (76.1 °F)
Flammability (solid, gaseous):	Flammable.
Auto igniting:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive a vapor mixtures are possible.
Explosion limits: Lower: Upper:	3.5 Vol % 15 Vol %
Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
Density at 20 °C (68 °F): Specific Gravity Relative density Vapor density Evaporation rate	0.95-0.99 g/cm³ (7.92775-8.26155 lbs/gal) 0.950 – 0.990 @ 20 °C (33.7 – 33.8 @ 68 °F) Not determined. Not determined. Not determined.
Solubility in / Miscibility with Water:	Fully miscible.
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity: Dynamic: Kinematic:	Not determined. Not determined.



Printing date 01/17/2024

Reviewed on 01/17/2024

#### Trade name: Vanilla Extract 2X Bourbon Organic

		(Continuation of page 5)
<ul> <li>Solvent content:</li> <li>Organic solvents:</li> <li>VOC content:</li> </ul>	30-50 % 30-50 % 475-495 g/l / 3.96-4.13 lb/gal	0
· Other information	No further relevant information availab	le.

## 10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

#### · LD/LC50 values that are relevant for classification:

#### CAS: 64-17-5 Ethanol

Oral LD50 7,060 mg/kg (rat)

Inhalative LC50/4 h 20,000 mg/l (rat)

- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

## · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

All components have the value 1.

## • NTP (National Toxicology Program)

None of the ingredients is listed.

## · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# 12 Ecological information

· Toxicity

• Aquatic toxicity: No further relevant information available.

(Continued on page 7)

US



Printing date 01/17/2024

#### Reviewed on 01/17/2024

(Continuation of page 6)

#### Trade name: Vanilla Extract 2X Bourbon Organic

- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · **Bioaccumulative potential** No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

## 13 Disposal considerations

· Waste treatment methods

• Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport information	
· UN-Number · DOT, IMDG, IATA	UN1197
<ul> <li>· UN proper shipping name</li> <li>· DOT</li> <li>· IMDG</li> <li>· IATA</li> </ul>	Extracts, flavoring, liquid EXTRACTS, LIQUID Extracts, liquid
· Transport hazard class(es)	
· DOT · Class	3 Flammable liquids
· Label	3
· IMDG, IATA	
· Class	3 Flammable liquids
· Label	3
	(Continued on page



Printing date 01/17/2024

Reviewed on 01/17/2024

#### Trade name: Vanilla Extract 2X Bourbon Organic

	(Continuation of page
Packing group DOT, IMDG, IATA	ш
Environmental hazards: Marine pollutant:	No
Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category	Warning: Flammable liquids : 30 F-E,S-D A
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information: DOT Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1197 EXTRACTS, LIQUID, 3, III

## 15 Regulatory information

 $^{\circ}$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $^{\circ}$  Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• **TSCA (Toxic Substances Control Act):** All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

## Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

All ingredients are listed.

(Continued on page 9)

US



Printing date 01/17/2024

#### Reviewed on 01/17/2024

#### Trade name: Vanilla Extract 2X Bourbon Organic

	(Continuation of page 8)
Carcinogenic c	ategories
EPA (Environm	nental Protection Agency)
None of the ingr	edients is listed.
TLV (Threshold	I Limit Value)
All components	have the value A3.
•	ional Institute for Occupational Safety and Health)
None of the ingr	edients is listed.
	te background with a red frame sufficiently wide to be clearly visible. lassified and labeled according to the Globally Harmonized System (GHS). <b>ams</b>
GHS02 GHS0	
<b>Signal word</b> Wa Hazard stateme H226 Flammable	
H319 Causes se	erious eye irritation.
Precautionary s	
P210 P241	Keep away from heat/sparks/open flames/hot surfaces No smoking. Use explosion-proof electrical/ventilating/lighting/equipment.
	53 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
	38 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
P305+P351+P3	present and easy to do. Continue rinsing.
	present and easy to do. Continue rinsing. Store in a well-ventilated place. Keep cool.
P305+P351+P33 P403+P235 P501	

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases
- H225 Highly flammable liquid and vapor.
- H319 Causes serious eye irritation.
- · Department issuing SDS: Product Safety Department
- Contact:
   Product Safety Department
- productsafety@adv-bio.com
- Date of preparation / last revision 01/17/2024
- Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

(Continued on page 10)

<sup>-</sup> ÚS



Printing date 01/17/2024

Reviewed on 01/17/2024

(Continuation of page 9)

#### Trade name: Vanilla Extract 2X Bourbon Organic

DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 2: Flammable liquids - Category 2 Flammable Liquids 3: Flammable liquids – Category 3 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A